

## **ADDENDUM NO. 1**

Notice to Bidders for

Town of Montville  
Abandoned Culvert Filling Project  
Bid No. 22-6

ADDENDUM ISSUED: January 11, 2022

This Addendum forms part of the Contract Documents and modifies the original Project Manual & Specifications and Drawings dated December 2021. Acknowledge receipt of this Addendum in the Bid Proposal, failure to do so may subject the Bidder to disqualification.

This Addendum is a modification to the Contract Documents as follows:

1. Bid Form: Additional Item 2. Excavation and Filling added. Replace Basis of Bid with attached form.
2. Technical Specifications: Section 3.02 Trench Earth Excavation and Backfill. Replace page 6 of 6 with attached page. 4.0 Measurement and Payment is a lump sum item.
3. Sketch Plan No. 1 Site Plan: Replace plan with attached site plan dated revised Jan. 11, 2022.

END OF ADDENDUM

3. "collusive practice" means a scheme or arrangement between two or more Bidders, with or without the knowledge of Owner, a purpose of which is to establish bid prices at artificial, non-competitive levels; and
4. "coercive practice" means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the bidding process or affect the execution of the Contract.

## ARTICLE 5 – BASIS OF BID

5.01 Bidder will complete the Work in accordance with the Contract Documents for the following price(s):

**Unit prices are to be written in both words and figures. In case of discrepancy, the unit price shown in words will govern.**

### **BASE BID:**

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNIT</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
1.	Flowable Fill	15	C.Y.	_____	_____

UNIT PRICE IN WORDS: \_\_\_\_\_

2.	Excavation and Filling	1	L.S.	_____	_____
----	------------------------	---	------	-------	-------

UNIT PRICE IN WORDS: \_\_\_\_\_

**TOTAL BASE BID PRICE:** \_\_\_\_\_

**TOTAL BASE BID PRICE IN WORDS:** \_\_\_\_\_

**This contract is to be awarded as outlined in Article 19 of the Instructions to Bidders.** This contract is to be awarded to that responsible Bidder whose total bid is the lowest number of dollars for the above items.

Unit Prices have been computed in accordance with Paragraph 11.03.B of the General Conditions.

Bidder acknowledges that estimated quantities are not guaranteed, and are solely for the purpose of comparison of Bids, and final payment for all unit price Bid items will be based on actual quantities, determined as provided in the Contract Documents.

4. All unsuitable material or backfill material in excess of the amount required for the satisfactory completion of backfill operations shall be removed and disposed of by the Contractor off the site.

#### 4.0 MEASUREMENT AND PAYMENT

No separate measurement shall be made for this item and all costs in connection there with shall be included in the lump sum item "Excavation and Filling", which price shall include all materials, tools, labor and work incidental thereto, including sawcutting, excavation, shoring, dewatering, backfilling, paving and all other work required to provide a complete installation.

N:\6000\6700\6767N Maple Ave. - Bunnell\Drawings\6767N 245 Maple Ave.dwg. 1/11/2022 8:53:59 AM.DWG To PDF.pc3

MAPLE AVENUE

NOTES:

- 1. PIPE FILL IS TO BE FLOWABLE FILL AS PER THE SPECIFICATIONS AND IS TO BE PAID AS CUBIC YARDS OF FLOWABLE FILL.
- 2. ALL EXCAVATION AND REPAIR OF TRENCH SHALL BE PAID AS A LUMP SUM ITEM

SAWCUT EX. BIT. CONC.  
EXCAVATE AND EXPOSE PIPE.  
TOP OF PIPE 5'± BELOW  
GRADE; LIMITS OF TRENCH  
PER CONTRACTOR'S  
REQUIREMENTS


EXCAVATE AND  
PLUG PIPE 3'±  
FROM BUILDING

APPROXIMATELY 3'  
TO TOP OF  
CULVERT AT  
BUILDING

ABANDONED 36"  
CULVERT TO BE  
FILLED W/  
FLOWABLE FILL

GARAGE

PLUG PIPE AND  
FILL EXCAVATION  
WITH COMPACTED  
GRAVEL FILL,  
12" GRAVEL  
BASE, 4" BIT.  
CONC. SEAL  
JOINTS



**CLA Engineers, Inc.**  
CIVIL • STRUCTURAL • SURVEYING  
317 Main Street Norwich, CT 06360  
(860) 886-1966 Fax (860) 886-9165

REVISED JAN. 11, 2022
245 MAPLE AVENUE
SITE PLAN

JOB: CLA-6767N
SCALE: 1"=20'
DATE: 12/15/21
SKETCH NO: 1