


RJO'CONNELL & ASSOCIATES, INC.

CIVIL ENGINEERS, SURVEYORS & LAND PLANNERS 80 MONTVALE AVENUE, SUITE 201 STONEHAM, MA 02180 PHONE: 781.279.0180 RJOCONNELL.COM

HONEYCOMB REAL ESTATE PARTNERS

20 AVON MEADOW LANE AVON, CT 06001

HORIZON VIEW MONTVILLE, CT




	1	
DESIG	NED BY:	RWS
DRAW	N BY:	WJH
REVIE	NED BY:	BPD/RWS
SCALE		1" = 30'
DATE:		09/25/2024
DRAWING NAME:		

FIRE TRUCK TURNING PLAN

FT-1

24029 Copyright © 2024 by R.J. O'Connell & Associates, Inc.



WATTLES SHALL BE 12" DIAMETER. MACHINE PRODUCED THAT IS 100% STRAW FIBER AND CERTIFIEL

2. WATTLES SHALL BE PLACED IN A ROW WITH THE ENDS TIGHTLY ABUTTING THE ADJACENT WATTLES.

3. WATTLES SHALL BE SECURELY ANCHORED IN PLACE BY STAKES DRIVEN THROUGH THE WATTLES.

4. WATTLES TO BE INSPECTED PER THE INSPECTION REQUIREMENTS AS OUTLINED IN THE

5. THIS DETAIL IS TO BE USED WHEN PARKING AREAS ARE AT SUBGRADE ELEVATION

AND ETHYL VINYL ACETATE AND CONTAIN ULTRA VIOLET INHIBITORS.

WEED FREE FORAGE. THE NETTING SHALL CONSIST OF SEAMLESS HIGH DENSITY POLYETHYLENE

STORMWATER POLLUTION PREVENTION PLAN (SWPPP). IN THE ABSENCE OF A SWPPP, INSPECTIONS

SHALL OCCUR WEEKLY AND AFTER EACH RAINFALL EVENT GREATER THAN 0.25 INCHES. SEDIMENT

DEPOSITS MUST BE REMOVED WHEN DEPOSITS REACH ONE HALF THE HEIGHT OF THE BARRIER.


\TYPICAL CATCH BASIN WATTLE INLET PROTECTION DETAIL


- 1<sup>1</sup>/<sub>4</sub>"x1<sup>1</sup>/<sub>4</sub>"x3' (NOMINAL) OAK OR HARDWOOD STAKE


- DRAIN INLET FRAME

AND GRATE

- 12" Ø WATTLE










- AREA. CELL-O-SEED MUST BE INSTALLED WITH PAPER SIDE DOWN.
- 2. BEGIN AT THE TOP OF THE SLOPE BY ANCHORING THE BLANKET IN A 6" (15cm) WIDE TRENCH WITH APPROXIMATELY 12" (30cm) OF BLANKET EXTENDED BEYOND THE UP-SLOPE PORTION OF THE TRENCH. ANCHOR THE BLANKET WITH A ROW OF STAPLES/STAKES APPROXIMATELY 12" (30cm) APART IN THE BOTTOM OF THE TRENCH. BACKFILL AND COMPACT THE TRENCH AFTER STAPLING. APPLY SEED TO COMPACTED SOIL AND FOLD REMAINING 12" (30cm) PORTION OF THE BLANKET BACK OVER SEED AND COMPACTED SOIL. SECURE BLANKET OVER COMPACTED SOIL WITH A ROW OF STAPLES/STAKES SPACED APPROXIMATELY 12" (30cm) APART ACROSS THE WIDTH OF THE BLANKET.
- 3. ROLL THE BLANKETS (A.) DOWN OR (B.) HORIZONTALLY ACROSS THE SLOPE. BLANKETS WILL UNROLL WITH THE APPROPRIATE SIDE AGAINST THE SOIL SURFACE. ALL BLANKETS MUST BE SECURELY FASTENED TO SOIL SURFACE BY PLACING STAPLES/STAKES IN APPROPRIATE LOCATIONS AS SHOWN IN THE STAPLE PATTERN GUIDE. WHEN USING OPTIONAL DOT SYSTEM, STAPLES/STAKES SHOULD BE PLACED THROUGH EACH OF THE COLORED DOTS CORRESPONDING TO THE APPROPRIATE STAPLE PATTERN.
- 4. THE EDGES OF PARALLEL BLANKETS MUST BE STAPLED WITH APPROXIMATELY 2"-5" (5cm-12.5cm) OVERLAP DEPENDING ON BLANKET TYPE. TO ENSURE PROPER SEAM ALIGNMENT, PLACE THE EDGE OF THE OVERLAPPING BLANKET (BLANKET BEING INSTALLED
- 5. CONSECUTIVE BLANKETS SPLICED DOWN THE SLOPE MUST BE PLACED END OVER END (SHINGLE STYLE) WITH AN APPROXIMATE 3" (7.5cm) OVERLAP. STAPLE THROUGH OVERLAPPED AREA, APPROXIMATELY 12" (30cm) APART ACROSS ENTIRE BLANKET WIDTH.
- 6. EROSION CONTROL BLANKET SHALL BE BIODEGRADABLE DOUBLE NET STRAW AS
- MANUFACTURED BY ACF ENVIRONMENTAL OR APPROVED EQUAL.
- 7. IN LOOSE SOIL CONDITIONS, THE USE OF STAPLE OR STAKE LENGTHS GREATER THAN 6" (15cm) MAY BE NECESSARY TO PROPERLY ANCHOR THE BLANKETS.

EROSIONAL CONTROL BLANKET DETAIL (FOR SLOPE PROTECTION) SCALE: N.T.S.






SILTATION FENCE DETAIL





TYPICAL TEMPORARY DRAINAGE SWALE DETAIL




- THROUGH THE WATTLE AND PENETRATING AT LEAST 12-INCHES INTO THE GROUND. STAKES TO BE EXPOSED 3 INCHES (MAX.) ABOVE THE TOP OF THE WATTLE.
- 2. WATTLES SHALL BE MACHINE-PRODUCED THAT IS 100% STRAW FIBER AND CERTIFIED WEED FREE FORAGE. THE NETTING SHALL CONSIST OF SEAMLESS HIGH DENSITY POLYETHYLENE AND ETHYL VINYL ACETATE AND CONTAIN ULTRA VIOLET INHIBITORS.
- 3. WATTLES SHALL BE PLACED IN A ROW WITH THE ENDS TIGHTLY ABUTTING THE ADJACENT WATTLE.

STRAW WATTLE CHECKDAM DETAIL SCALE: N.T.S.







## RJO'CONNELL & ASSOCIATES, INC.

80 MONTVALE AVENUE, SUITE 201 STONEHAM, MA 02180 PHONE: 781.279.0180 RJOCONNELL.COM

PREPARED FOR:

HONEYCOMB REAL ESTATE


20 AVON MEADOW LANE

AVON, CT 06001

PARTNERS

PROJECT NAME:

HORIZON VIEW MONTVILLE, CT



9.25.20A **DESIGNED BY:** DRAWN BY: **REVIEWED BY:** BPD/RWS NOT TO SCALE SCALE: DATE: 09/25/2024

DEMOLITION AND **EROSION CONTROL DETAILS** 

DRAWING NUMBER:

24029

NOTES:

name: G:\CT\Mon , 2024 - 13:34pm

PROJECT NUMBER:

Copyright © 2024 by R.J. O'Connell & Associates, Inc.