

ADDENDUM NO. 1

Notice to Bidders for

Town of Montville
Bid No. 2025-11: Bridge St Bridge Deck Replacement

ADDENDUM ISSUED: April 14, 2025

This Addendum forms part of the Contract Documents and modifies the original Project Manual & Specifications and Drawings dated March 28, 2025. Acknowledge receipt of this Addendum in the Bid Proposal, failure to do so may subject the Bidder to disqualification.

Items #1 and #2 are associated with the addition of an Alternate to fine mill and provide a bituminous overlay of Bridge Street generally from the Maple Avenue gutter line easterly to the western seam of the bridge deck over Oxoboxo Brook (excludes the bridge deck). The work includes approximately 1,800 SY of fine milling and overlay.

This Addendum is a modification to the Contract Documents as follows:

1. Project Manual & Specifications: Proposal Forms: The attached Updated Bid Form shall replace the Bid Form.
2. Project Manual & Specifications: Technical Specifications: Section 4: Add the attached Sections 4.10 and 4.11 to the Technical Specifications
3. Project Manual & Specifications: Prevailing Wage Rates & Requirements: The attached prevailing wage rates that replace the prevailing wage rates included in the Project Manual.

The following are responses to potential bidders questions to date:

1. *Are there soil borings for the site?*
Response: Soil borings were not performed.
2. *Are there AS Builts for the existing bridge and the water line?*
Response: As-builts for the bridge and water line were not available.
3. *Will the Utility Poles be relocated temporarily?*
Response: The Town has not initiated the temporary relocation of utility poles. The Contractor shall be responsible for the temporary relocation of overhead wire and/or poles if necessary to perform the work.
4. *Should there be Chain Link Fence on Proposed Bridge*
Response: 6' high galvanized chain link fence is called out for each side of the bridge on sheet C-101. The fence may be attached to the bridge rail.

5. *Please confirm the Bituminous Paving Limits*

Response: Base Bid - Saw cut limits are shown at approximately 10' from each side of the bridge deck, on Sheet C-101. Please note that this addendum include a new Alternate to fine mill and overlay Bridge Street.

6. *Please confirm the Limits of the Repointing and or make it a Provisional Item.*

Response: Repointing is called out to be performed to 5' below the low chord of the bridge on both abutments on Sheet C-102.

7. *Please confirm the Bridge deck is 1'-6" with no 4" additional deck.*

Response: The precast concrete is proposed at 1'-6" thick with a bituminous overlay.

8. *Please confirm clearing limits and trees to be removed*

Response: Contractor may clear overhanging tree branches and may clear at the inlet and outlet of the bridge. Limited clearing for access may be performed if necessary with prior approval from Public Works.

9. *For the project mentioned above can you please confirm the sizes the deck panels will be? On sheet SB-2, Detail 1 Transverse Section, calls for 1'-6" x 27'-6" Bridge. What width do the panels need to be?*

Response: The approximate dimensions noted are correct. The Contractor must field measure to confirm the dimensions prior to construction. The precast panel width shall typically be 4' wide minimum but may be adjusted by the manufacturer if needed.

Attachments

- Updated Bid Form
- Technical Specifications Section 4.10 and 4.11
- Prevailing Wage Rates

END OF ADDENDUM

BID FORM
UPDATED APRIL 14, 2025

BRIDGE STREET
BRIDGE DECK REPLACEMENT

TABLE OF CONTENTS

| | Page |
|---|-------------|
| Article 1 – Bid Recipient | 1 |
| Article 2 – Bidder’s Acknowledgements | 1 |
| Article 3 – Bidder’s Representations | 1 |
| Article 4 – Bidder’s Certification | 2 |
| Article 5 – Basis of Bid | 3 |
| Article 6 – Time of Completion | 18 |
| Article 7 – Attachments to This Bid | 18 |
| Article 8 – Defined Terms | 18 |
| Article 9 – Bid Submittal | 19 |

ARTICLE 1 – BID RECIPIENT

- 1.01 This Bid is submitted to:
Town of Montville
Finance Department
310 Norwich-New London Turnpike
Uncasville, CT 06382
- 1.02 The undersigned Bidder proposes and agrees, if this Bid is accepted, to enter into an Agreement with Owner in the form included in the Bidding Documents to perform all Work as specified or indicated in the Bidding Documents for the prices and within the times indicated in this Bid and in accordance with the other terms and conditions of the Bidding Documents.

ARTICLE 2 – BIDDER’S ACKNOWLEDGEMENTS

- 2.01 Bidder accepts all of the terms and conditions of the Instructions to Bidders, including without limitation those dealing with the disposition of Bid security. This Bid will remain subject to acceptance for **60** days after the Bid opening, or for such longer period of time that Bidder may agree to in writing upon request of Owner.

ARTICLE 3 – BIDDER’S REPRESENTATIONS

- 3.01 In submitting this Bid, Bidder represents that:
- A. Bidder has examined and carefully studied the Bidding Documents, other related data identified in the Bidding Documents, and the following Addenda, receipt of which is hereby acknowledged:
- | <u>Addendum No.</u> | <u>Addendum Date</u> |
|---------------------|----------------------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
- B. Bidder has visited the Site and become familiar with and is satisfied as to the general, local, and Site conditions that may affect cost, progress, and performance of the Work.
- C. Bidder is familiar with and is satisfied as to all Laws and Regulations that may affect cost, progress, and performance of the Work.
- D. Not Applicable
- E. Bidder has considered the information known to Bidder; information commonly known to contractors doing business in the locality of the Site; information and observations obtained from visits to the Site; the Bidding Documents; and drawings identified in the

Bidding Documents, with respect to the effect of such information, observations, and documents on (1) the cost, progress, and performance of the Work; (2) the means, methods, techniques, sequences, and procedures of construction to be employed by Bidder, including applying the specific means, methods, techniques, sequences, and procedures of construction expressly required by the Bidding Documents; and (3) Bidder's safety precautions and programs.

- F. Based on the information and observations referred to in Paragraph 3.01.E above, Bidder does not consider that further examinations, investigations, explorations, tests, studies, or data are necessary for the determination of this Bid for performance of the Work at the price(s) bid and within the times required, and in accordance with the other terms and conditions of the Bidding Documents.
- G. Bidder is aware of the general nature of work to be performed by Owner and others at the Site that relates to the Work as indicated in the Bidding Documents.
- H. Bidder has given Engineer written notice of all conflicts, errors, ambiguities, or discrepancies that Bidder has discovered in the Bidding Documents, and the written resolution thereof by Engineer is acceptable to Bidder.
- I. The Bidding Documents are generally sufficient to indicate and convey understanding of all terms and conditions for the performance of the Work for which this Bid is submitted.

ARTICLE 4 – BIDDER'S CERTIFICATION

4.01 Bidder certifies that:

- A. This Bid is genuine and not made in the interest of or on behalf of any undisclosed individual or entity and is not submitted in conformity with any collusive agreement or rules of any group, association, organization, or corporation;
- B. Bidder has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid;
- C. Bidder has not solicited or induced any individual or entity to refrain from bidding; and
- D. Bidder has not engaged in corrupt, fraudulent, collusive, or coercive practices in competing for the Contract. For the purposes of this Paragraph 4.01.D:
 - 1. "corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value likely to influence the action of a public official in the bidding process;
 - 2. "fraudulent practice" means an intentional misrepresentation of facts made (a) to influence the bidding process to the detriment of Owner, (b) to establish bid prices at artificial non-competitive levels, or (c) to deprive Owner of the benefits of free and open competition;

3. "collusive practice" means a scheme or arrangement between two or more Bidders, with or without the knowledge of Owner, a purpose of which is to establish bid prices at artificial, non-competitive levels; and
4. "coercive practice" means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the bidding process or affect the execution of the Contract.

ARTICLE 5 – BASIS OF BID

5.01 Bidder will complete the Work in accordance with the Contract Documents for the following price(s): **Unit prices are to be written in both words and figures. In case of discrepancy, the unit price shown in words will govern.**

BASE BID

| <u>ITEM</u> | <u>DESCRIPTION</u> | <u>QUANTITY</u> | <u>UNIT</u> | <u>UNIT PRICE</u> | <u>AMOUNT</u> |
|-------------|--------------------|-----------------|-------------|-------------------|---------------|
| 1. | Mobilization | L.S. | L.S. | _____ | _____ |

UNIT PRICE IN WORDS: _____

| | | | | | |
|----|--|------|------|-------|-------|
| 2. | Maintenance and Protection of Traffic | L.S. | L.S. | _____ | _____ |
|----|--|------|------|-------|-------|

UNIT PRICE IN WORDS: _____

| | | | | | |
|----|--------------------------------------|------|------|-------|-------|
| 3. | Sedimentation and Erosion Control | L.S. | L.S. | _____ | _____ |
|----|--------------------------------------|------|------|-------|-------|

UNIT PRICE IN WORDS: _____

| | | | | | |
|----|--|----|------|-------|-------|
| 4. | <u>Provisional Item</u> Crushed Stone | 50 | C.Y. | _____ | _____ |
|----|--|----|------|-------|-------|

UNIT PRICE IN WORDS: _____

| <u>ITEM</u> | <u>DESCRIPTION</u> | <u>QUANTITY</u> | <u>UNIT</u> | <u>UNIT PRICE</u> | <u>AMOUNT</u> |
|-------------|---------------------------------------|-----------------|-------------|-------------------|---------------|
| 5. | Topsoil, Seed, Fertilize and Mulch | L.S. | L.S. | _____ | _____ |

UNIT PRICE IN WORDS: _____

| | | | | | |
|----|---------------------------|-----|------|-------|-------|
| 6. | Metal Beam Rail (RB-MASH) | 220 | L.F. | _____ | _____ |
|----|---------------------------|-----|------|-------|-------|

UNIT PRICE IN WORDS: _____

| | | | | | |
|----|---|---|-----|-------|-------|
| 7. | Metal Beam Rail End Anchorages (Type II) | 3 | EA. | _____ | _____ |
|----|---|---|-----|-------|-------|

UNIT PRICE IN WORDS: _____

| | | | | | |
|----|--|--|--|--|--|
| 8. | <u>Bridge Street Bridge Deck Replacement:</u> Including demolition, removal & disposal existing structure. Field measure the existing structure for the new deck. Construction of the new bridge deck structure including the new precast concrete deck bridge railings, waterproofing, finishes, repointing, grout fill, mortar fill, and other items not specifically listed elsewhere. | | | | |
|----|--|--|--|--|--|

| | | | |
|------|------|-------|-------|
| L.S. | L.S. | _____ | _____ |
|------|------|-------|-------|

UNIT PRICE IN WORDS: _____

TOTAL BID AMOUNT: _____

TOTAL BID AMOUNT IN WORDS: _____

Alternate

The undersigned bidder further proposes and agrees that should the following alternate be accepted by the Owner, the amount of the Total Base Bid, as heretofore stated shall be adjusted by the amount of the alternate.

General Scope – The 2” mill and bituminous overlay of Bridge Street from the Maple Avenue gutter line easterly to the western seam of the bridge deck over Oxoboxo Brook (excludes the bridge deck). Approximately 1,800 SY.

Unit prices are to be written in both words and figures. In case of discrepancy, the unit price shown in words will govern.

This work shall include the following:

| <u>ITEM</u> | <u>DESCRIPTION</u> | <u>QUANTITY</u> | <u>UNIT</u> | <u>UNIT PRICE</u> | <u>AMOUNT</u> |
|-------------|------------------------|-----------------|-------------|-------------------|---------------|
| 1. | Fine Milling: 2” Thick | L.S. | L.S. | _____ | _____ |

UNIT PRICE IN WORDS: _____

| | | | | | |
|----|---|-----|-----|-------|-------|
| 2. | Bituminous Overlay on Milled Surface | 265 | Ton | _____ | _____ |
|----|---|-----|-----|-------|-------|

UNIT PRICE IN WORDS: _____

TOTAL ALTERNATE AMOUNT: _____

TOTAL ALTERNATE AMOUNT IN WORDS: _____

Unit Prices have been computed in accordance with Paragraph 11.03.B of the General Conditions.

Bidder acknowledges that estimated quantities are not guaranteed, and are solely for the purpose of comparison of Bids, and final payment for all unit price Bid items will be based on actual quantities, determined as provided in the Contract Documents.

Provisional items are delineated in the bid form. Quantities for provisional items may or may not be used in whole or in part at the discretion of the Owner. This shall in no way affect the established

contract unit prices. All bid unit prices for provisional items shall be added to establish the total bid amount.

This contract is to be awarded as outlined in Article 19 of the Instructions to Bidders. This contract is to be awarded to that responsible Bidder whose total bid is the lowest number of dollars for the above items.

ARTICLE 6 – TIME OF COMPLETION

- 6.01 Bidder agrees that the Work will be substantially complete and will be completed and ready for final payment in accordance with Paragraph 14.07 of the General Conditions within the number of calendar days indicated in the Instructions to Bidders and Agreement.
- 6.02 Bidder accepts the provisions of the Instructions to Bidders and the Agreement as to liquidated damages.

ARTICLE 7 – ATTACHMENTS TO THIS BID

- 7.01 The following documents are submitted with and made a condition of this Bid:
 - A. Required Bid security in the form of a Bid Bond, bank money order or Certified Check (circle type of security provided);
 - B. Statement of Bidders Qualifications
 - C. List of Proposed Subcontractors;
 - D. List of Proposed Suppliers;
 - E. Non-Discrimination in Employment Statement;
 - F. Non-Collusion Affidavit of Prime Bidder;
 - G. Certificate as to Corporate Principal;
 - H. CHRO Contract Compliance Form
 - H. Evidence of authority to do business in the state of the Project; or a written covenant to obtain such license within the time for acceptance of Bids;
 - I. Contractor's License No.: _____ [or] Evidence of Bidder's ability to obtain a State Contractor's License and a covenant by Bidder to obtain said license within the time for acceptance of Bids and;
 - J. A Form W-9

ARTICLE 8 – DEFINED TERMS

- 8.01 The terms used in this Bid with initial capital letters have the meanings stated in the Instructions to Bidders, the General Conditions, and the Supplementary Conditions.

ARTICLE 9 – BID SUBMITTAL

9.01 This Bid is submitted by:

If Bidder is:

An Individual

Name (typed or printed): _____

By: _____
(Individual's signature)

Doing business as: _____

A Partnership

Partnership Name: _____

By: _____
(Signature of general partner -- attach evidence of authority to sign)

Name (typed or printed): _____

A Corporation

Corporation Name: _____

State of Incorporation: _____

Type (General Business, Professional, Service, Limited Liability): _____

By: _____
(Signature -- attach evidence of authority to sign)

Name (typed or printed): _____

Title: _____
(CORPORATE SEAL)

Attest _____

Date of Qualification to do business in Connecticut is ____/____/____.

A Joint Venture

Name of Joint Venture: _____

First Joint Venturer Name: _____ (SEAL)

By: _____
(Signature of first joint venture partner - attach evidence of authority to sign)

Name (typed or printed): _____

Title: _____

Second Joint Venturer Name: _____ (SEAL)

By: _____
(Signature of second joint venture partner -- attach evidence of authority to sign)

Name (typed or printed): _____

Title: _____

(Each joint venturer must sign. The manner of signing for each individual, partnership, and corporation that is a party to the joint venture should be in the manner indicated above.)

9.02 Bidder's Business Address _____

Phone No. _____ Fax No. _____

E-mail _____

SUBMITTED on _____, 20____.

SECTION 4.10 MILLING

1.0 DESCRIPTION

This work under this Section includes furnishing all labor, equipment and materials and performing all operations in connection with milling the existing pavement surface at locations specified on the Contract Drawings.

This work shall consist of the milling, removal, and disposal of existing bituminous concrete pavement. It shall also include the complete removal and disposal of the existing bituminous concrete wearing surface to the depth shown on the plans or as ordered by the Engineer. The types of milling shall include the following:

Fine Milling shall be used to remove bituminous concrete from 0 to 4 inches.

3.0 CONSTRUCTION METHODS

Milling shall conform to Section 4.09.03 of the Standard Specification

The Contractor shall remove the bituminous concrete material using the milling type specified on the plans.

The Contractor will mill a minimum of 2" or as shown on the Contract Drawings.

Prior to paving the milled area will be swept and tack coated with CSS-1H at .035 gals. per square yard.

The longitudinal saw cut joint will be painted with an acceptable tack coat material.

After the final pavement has been placed and compacted, the joints will be sealed with 85/100 asphalt or an approved substitute.

4.0 MEASUREMENT AND PAYMENT

This work shall be measured and paid for as a Lump Sum.

This work shall be paid for at the Contract Lump Sum price for "Fine Milling: 2" thick.", which price shall include all materials, equipment, tools, labor and work incidental to or necessary for the completion of the work.

SECTION 4.11
OVERLAY ON MILLED SURFACE – LOCAL ROADS

1.0 DESCRIPTION

Overlay shall consist of a one course two (2) inch compacted thickness bituminous concrete surface course, constructed over a milled surface for local roads.

2.0 MATERIALS

Bituminous concrete surface course shall be HMA S0.375 in accordance with Section M.04 of the Standard Specification

3.0 CONSTRUCTION METHODS

Overlay shall be placed in accordance with Article 4.06.03 of the Standard Specifications and in accordance with the details shown on the Contract Drawings.

Contact surfaces of curbing, gutters, manholes, etc., shall be painted with a thin uniform coat of hot asphalt cement, or asphalt cement, or asphalt cement dissolved in naphtha, just before the material is placed against them.

4.0 MEASUREMENT AND PAYMENT

This work shall be measured for payment by the number of Tons, installed to the specified thickness as specified on the Drawings. The payment limits will be as specified in the Addendum.

Work under this Item will be paid for at the Contract unit prices per Ton for “Bituminous Overlay on Milled Surface”, completed in place and accepted. These Contract unit prices shall include the cost of the bituminous material, maintenance of the construction to include the additional materials and labor required due to settlement, and all other materials, tools, equipment, labor and work necessary for or incidental to the completion of the item.

Replacement pavement markings shall be provided and shall be incorporated in this unit price.

The Contractor shall include in the cost of this construction all resetting to grade of existing or newly constructed grates, frames, covers, valve boxes, access covers, and other items which normally must have a fixed relationship to finished grade.

The Contractor shall include in the cost of construction cleaning and sweeping the milled surface and applying tack coat prior to installation. The Contractor shall include in the cost of this item saw cutting of all bituminous concrete pavements and providing tack coat along all cut edges.

Project: Bridge Street Bridge Replacement

Minimum Rates and Classifications for
Heavy/Highway Construction

ID#: 25-3299

Connecticut Department of Labor
Wage and Workplace Standards Division

By virtue of the authority vested in the Labor Commissioner under provisions of Section 31-53 of the General Statutes of Connecticut, as amended, the following are declared to be the prevailing rates and welfare payments and will apply only where the contract is advertised for bid within 20 days of the date on which the rates are established. Any contractor or subcontractor not obligated by agreement to pay to the welfare and pension fund shall pay this amount to each employee as part of his/her hourly wages.

Project Number:

Project Town: Montville

State#:

FAP#:

Project: Bridge Street Bridge Replacement

| CLASSIFICATION | Hourly Rate | Benefits |
|---|-------------|----------|
| 1) Boilermaker | 48.21 | 30.01 |
| 1a) Bricklayer, Cement Masons, Cement Finishers, Plasterers, Stone Masons | 43.14 | 34.74 |
| 2) Carpenters, Piledrivermen | 39.54 | 28.68 |
| 2a) Diver Tenders | 39.54 | 28.68 |
| 3) Divers | 48.0 | 28.68 |
| 03a) Millwrights | 43.25 | 29.13 |
| 4) Painters: (Bridge Construction) Brush, Roller, Blasting (Sand, Water, etc.), Spray | 57.85 | 25.95 |
| 4a) Painters: Brush and Roller | 38.07 | 25.80 |
| 4b) Painters: Spray Only | 41.07 | 25.80 |

As of: March 31, 2025

| | | |
|--|-------|------------------------|
| 4c) Painters: Steel Only | 40.07 | 25.80 |
| 4d) Painters: Blast and Spray | 41.07 | 25.80 |
| 4e) Painters: Tanks, Tower and Swing | 40.07 | 25.80 |
| 4f) Elevated Tanks (60 feet and above) | 47.07 | 25.80 |
| 5) Electrician (Trade License required: E-1,2 L-5,6 C-5,6 T-1,2 L-1,2 V-1,2,7,8,9) | 45.75 | 33.97+3% of gross wage |
| 6) Ironworkers: Ornamental, Reinforcing, Structural, and Precast Concrete Erection | 45.25 | 41.27 + a |
| 7) Plumbers (Trade License required: (P-1,2,6,7,8,9 J-1,2,3,4 SP-1,2) and Pipefitters (Including HVAC Work) (Trade License required: S-1,2,3,4,5,6,7,8 B-1,2,3,4 D-1,2,3,4 G-1, G-2, G-8, G-9) | 49.58 | 35.25 |
| ----LABORERS----- | | |
| 8) Group 1: General Laborers and concrete specialist | 34.5 | 27.26 |
| 8) Group 1a: Acetylene Burners (Hours worked with a torch) | 35.5 | 27.26 |
| 9) Group 2: Chain saw operators, fence and guard rail erectors, pneumatic tool operators, powdermen | 34.75 | 27.26 |
| 10) Group 3: Pipelayers | 35.0 | 27.26 |
| 11) Group 4: Jackhammer/Pavement breaker (handheld); mason tenders (cement/concrete), catch basin builders, asphalt rakers, air track operators, block paver, curb setter and forklift operators | 35.0 | 27.26 |

As of: March 31, 2025

| | | |
|---|----------------|-----------|
| 12) Group 5: Toxic waste removal (non-mechanical systems) | 36.5 | 27.26 |
| 13) Group 6: Blasters | 36.25 | 27.26 |
| Group 7: Asbestos/lead removal, non-mechanical systems (does not include leaded joint pipe) | 37.5 | 27.26 |
| Group 8: Traffic control signalmen | 20.7 | 27.26 |
| Group 9: Hydraulic Drills | 35.25 | 27.26 |
| Group 10: Toxic Waste Removers A or B With PPE | 37.5 | 27.26 |
| ----LABORERS (TUNNEL CONSTRUCTION, FREE AIR). Shield Drive and Liner Plate Tunnels in Free Air.---- | | |
| 13a) Miners, Motormen, Mucking Machine Operators, Nozzle Men, Grout Men, Shaft & Tunnel Steel & Rodmen, Shield & Erector, Arm Operator, Cable Tenders | 36.73 | 27.26 + a |
| 13b) Brakemen, Trackmen, Miners' Helpers and all other men | 35.76 | 27.26 + a |
| ----CLEANING, CONCRETE AND CAULKING TUNNEL---- | | |
| 14) Concrete Workers, Form Movers, and Strippers | 35.76 | 27.26 + a |
| 15) Form Erectors | 36.09 | 27.26 + a |
| ----ROCK SHAFT LINING, CONCRETE, LINING OF SAME AND TUNNEL IN FREE AIR:---- | | |
| 16) Brakemen, Trackmen, Tunnel Laborers, Shaft Laborers, Miners Helpers | 35.76 | 27.26 + a |
| As of: | March 31, 2025 | |

| | | |
|--|-------|-----------|
| 17) Laborers Topside, Cage Tenders, Bellman | 35.65 | 27.26 + a |
| 18) Miners | 36.73 | 27.26 + a |
| ----TUNNELS, CAISSON AND CYLINDER WORK IN COMPRESSED AIR: --- - | | |
| 18a) Blaster | 43.22 | 27.26 + a |
| 19) Brakemen, Trackmen, Groutman, Laborers, Outside Lock Tender, Gauge Tenders | 43.02 | 27.26 + a |
| 20) Change House Attendants, Powder Watchmen, Top on Iron Bolts | 41.04 | 27.26 + a |
| 21) Mucking Machine Operator, Grout Boss, Track Boss | 43.81 | 27.26 + a |
| ----TRUCK DRIVERS----(*see note below) | | |
| Two Axle Trucks, Helpers | 33.16 | 32.36 + a |
| Three Axle Trucks; Two Axle Ready Mix | 33.27 | 32.36 + a |
| Three Axle Ready Mix | 33.33 | 32.36 + a |
| Four Axle Trucks | 33.39 | 32.36 + a |
| Four Axle Ready-Mix | 33.44 | 32.36 + a |
| Heavy Duty Trailer (40 tons and over) | 35.66 | 32.36 + a |

As of: March 31, 2025

| | | |
|--|-------|-----------|
| Specialized earth moving equipment other than conventional type on-the road trucks and semi-trailer (including Euclids) | 33.44 | 32.36 + a |
| Heavy Duty Trailer (up to 40 tons) | 34.39 | 32.36 + a |
| Heavy Duty Trailer (up to 40 tons) | 34.39 | 32.36 + a |
| Snorkle Truck | 33.54 | 32.36 + a |
| ----POWER EQUIPMENT OPERATORS---- | | |
| Group 1: Crane Handling or Erecting Structural Steel or Stone, Hoisting Engineer (2 drums or over). (Trade License Required) | 55.42 | 28.80 + a |
| Group 1a: Front End Loader (7 cubic yards or over); Work Boat 26 ft. and over. | 50.79 | 28.80 + a |
| Group 2: Cranes (100 ton rated capacity and over); Bauer Drill/Caisson. (Trade License Required) | 55.03 | 28.80 + a |
| Group 2a: Cranes (under 100 ton rated capacity). | 54.09 | 28.80 + a |
| Group 2b: Excavator over 2 cubic yards; Pile Driver (\$3.00 premium when operator controls hammer). | 50.4 | 28.80 + a |
| Group 3: Excavator; Gradall; Master Mechanic; Hoisting Engineer (all types of equipment where a drum and cable are used to hoist or drag material regardless of motive power of operation), Rubber Tire Excavator (Drott-1085 or similar); Grader Operator; Bulldozer Fine Grade (slopes, shaping, laser or GPS, etc.). (Trade License Required) | 49.45 | 28.80 + a |
| Group 4: Trenching Machines; Lighter Derrick; CMI Machine or Similar; Koehring Loader (Skooper). | 48.97 | 28.80 + a |
| Group 5: Specialty Railroad Equipment; Asphalt Paver; Asphalt Spreader; Asphalt Reclaiming Machine; Line Grinder; Concrete Pumps; Drills with Self | 48.22 | 28.80 + a |

As of: March 31, 2025

Contained Power Units; Boring Machine; Post Hole Digger; Auger; Pounder; Well Digger; Milling Machine (over 24" mandrel)

| | | |
|--|-------|-----------|
| Group 5 continued: Side Boom; Combination Hoe and Loader; Directional Driller. | 48.22 | 28.80 + a |
|--|-------|-----------|

| | | |
|---|-------|-----------|
| Group 6: Front End Loader (3 up to 7 cubic yards); Bulldozer (rough grade dozer). | 47.83 | 28.80 + a |
|---|-------|-----------|

| | | |
|--|------|-----------|
| Group 7: Asphalt Roller; Concrete Saws and Cutters (ride on types); Vermeer Concrete Cutter; Stump Grinder; Scraper; Snooper; Skidder; Milling Machine (24" and under Mandrel) | 47.4 | 28.80 + a |
|--|------|-----------|

| | | |
|--|------|-----------|
| Group 8: Mechanic, Grease Truck Operator, Hydroblaster, Barrier Mover, Power Stone Spreader; Welder; Work Boat under 26 ft.; Transfer Machine. | 46.9 | 28.80 + a |
|--|------|-----------|

| | | |
|---|-------|-----------|
| Group 9: Front End Loader (under 3 cubic yards), Skid Steer Loader regardless of attachments (Bobcat or Similar); Fork Lift, Power Chipper; Landscape Equipment (including hydroseeder), Vacuum Excavation Truck and Hydrovac Excavation Truck (27 HG pressure or greater). | 46.35 | 28.80 + a |
|---|-------|-----------|

| | | |
|--|-------|-----------|
| Group 10: Vibratory Hammer, Ice Machine, Diesel and Air Hammer, etc. | 43.77 | 28.80 + a |
|--|-------|-----------|

| | | |
|--|-------|-----------|
| Group 11: Conveyor, Earth Roller; Power Pavement Breaker (whiphammer), Robot Demolition Equipment. | 43.77 | 28.80 + a |
|--|-------|-----------|

| | | |
|-------------------------------|-------|-----------|
| Group 12: Wellpoint Operator. | 43.69 | 28.80 + a |
|-------------------------------|-------|-----------|

| | | |
|--|-------|-----------|
| Group 13: Compressor Battery Operator. | 42.97 | 28.80 + a |
|--|-------|-----------|

| | | |
|--|-------|-----------|
| Group 14: Elevator Operator; Tow Motor Operator (Solid Tire No Rough Terrain). | 41.52 | 28.80 + a |
|--|-------|-----------|

| | | |
|--|-------|-----------|
| Group 15: Generator Operator; Compressor Operator; Pump Operator; Welding Machine Operator; Heater Operator. | 41.01 | 28.80 + a |
|--|-------|-----------|

As of: March 31, 2025

| | | |
|---|-------|-----------|
| Group 16: Maintenance Engineer. | 40.19 | 28.80 + a |
| Group 17: Portable Asphalt Plant Operator; Portable Crusher Plant Operator; Portable Concrete Plant Operator., Portable Grout Plant Operator, Portable Water Filtration Plant Operator. | 45.63 | 28.80 + a |
| Group 18: Power Safety Boat; Vacuum Truck; Zim Mixer; Sweeper; (minimum for any job requiring CDL license). | 42.57 | 28.80 + a |
| Surveyor: Chief of Party | 45.87 | 28.80 + a |
| Surveyor: Assistant Chief of Party | 42.3 | 28.80 + a |
| Surveyor: Instrument Man | 40.7 | 28.80 + a |
| Surveyor: Rodman or Chairman | 35.03 | 28.80 + a |

****NOTE: SEE BELOW**

----LINE CONSTRUCTION----(Railroad Construction and Maintenance)----

| | | |
|--|-------|--------------|
| 20) Lineman, Cable Splicer, Technician | 48.84 | 18.07 |
| 21) Heavy Equipment Operator | 42.26 | 6.5% + 19.88 |
| 22) Equipment Operator, Tractor Trailer Driver, Material Men | 40.96 | 6.5% + 19.21 |
| 23) Driver Groundmen | 26.5 | 6.5% + 9.00 |
| 23a) Truck Driver | 40.96 | 6.5% + 17.76 |

As of: March 31, 2025

----LINE CONSTRUCTION----

| | | |
|--|-------|--------------|
| 24) Driver Groundmen | 30.92 | 6.5% + 9.70 |
| 25) Groundmen | 22.67 | 6.5% + 6.20 |
| 26) Heavy Equipment Operators | 37.1 | 6.5% + 10.70 |
| 27) Linemen, Cable Splicers, Dynamite Men | 41.22 | 6.5% + 12.20 |
| 28) Material Men, Tractor Trailer Drivers, Equipment Operators | 35.04 | 6.5% + 10.45 |

Welders: Rate for craft to which welding is incidental.

Surveyors: Hazardous material removal: \$3.00 per hour premium.

*Note: Hazardous waste removal work receives additional \$1.25 per hour for truck drivers.

**Note: Hazardous waste premium \$3.00 per hour over classified rate

Crane with 150 ft. boom (including jib) - \$1.50 extra

Crane with 200 ft. boom (including jib) - \$2.50 extra

Crane with 250 ft. boom (including jib) - \$5.00 extra

Crane with 300 ft. boom (including jib) - \$7.00 extra

Crane with 400 ft. boom (including jib) - \$10.00 extra

All classifications that indicate a percentage of the fringe benefits must be calculated at the percentage rate times the "base hourly rate".

Apprentices duly registered under the Commissioner of Labor's regulations on "Work Training Standards for Apprenticeship and Training Programs" Section 31-51-d-1 to 12, are allowed to be paid the appropriate percentage of the prevailing journeymen hourly base and the full fringe benefit rate, providing the work site ratio shall not be less than one full-time journeyperson instructing and supervising the work of each apprentice in a specific trade.

~~Connecticut General Statute Section 31-55a: Annual Adjustments to wage rates by contractors doing state work
~~

The Prevailing wage rates applicable to this project are subject to annual adjustments each July 1st for the duration of the project.

Each contractor shall pay the annual adjusted prevailing wage rate that is in effect each July 1st, as posted by the Department of Labor.

It is the contractor's responsibility to obtain the annual adjusted prevailing wage rate increases directly from the Department of Labor's website.

The annual adjustments will be posted on the Department of Labor's Web page:

www.ct.gov/dol. For those without internet access, please contact the division listed below.

The Department of Labor will continue to issue the initial prevailing wage rate schedule to the Contracting Agency for the project.

All subsequent annual adjustments will be posted on our Web Site for contractor access.

Contracting Agencies are under no obligation pursuant to State labor law to pay any increase due to the annual adjustment provision.

Effective October 1, 2005 - Public Act 05-50: any person performing the work of any mechanic, laborer, or worker shall be paid prevailing wage

All Person who perform work ON SITE must be paid prevailing wage for the appropriate mechanic, laborer, or worker classification.

All certified payrolls must list the hours worked and wages paid to All Persons who perform work ON SITE regardless of their ownership i.e.: (Owners, Corporate Officers, LLC Members, Independent Contractors, et. al)

Reporting and payment of wages is required regardless of any contractual relationship alleged to exist between the contractor and such person.

~~Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clause (29 CFR 5.5 (a) (1) (ii)).

Please direct any questions which you may have pertaining to classification of work and payment of prevailing wages to the Wage and Workplace Standards Division, telephone (860)263-6790.