Project Manual & Specifications

Gutterman Road Repaving

Bid No. 2025-12

Prepared for:
Town of Montville
310 Norwich-New London Turnpike

Uncasville, Connecticut 06382

Revised: June 5, 2025 (Issued for Bid) Revised: May 30, 2025 (For Review) May 27, 2025 (For Review)

Prepared By:

CLA Engineers, Inc.

317 Main Street Norwich, CT 06360 Ph: 860-886-1966 F: 860-886-9165 www.claengineers.com

TABLE OF CONTENTS

- I. ADVERTISEMENT FOR BIDS
- II. INFORMATION TO BIDDERS
- III. PROPOSAL FORMS
 - 1. Bid Form
 - 2. Form of Bid Bond
 - 3. Statement of Bidders Qualifications
 - 4. Proposed Subcontractors
 - 5. Proposed Suppliers
 - 6. Non-Discrimination in Employment
 - 7. Non-Collusion Affidavit of Prime Bidder
 - 8. Certificate as to Corporate Principal
- IV. AGREEMENT AND BOND FORMS
 - 1. Agreement Between Owner and Contractor
 - 2. Form of Performance Bond
 - 3. Form of Payment Bond
- V. GENERAL CONDITIONS
- VI. SPECIAL CONDITIONS
- VII. TECHNICAL SPECIFICATIONS
- VIII. PLANS

I. ADVERTISEMENT FOR BIDS

TOWN OF MONTVILLE INVITATION FOR PROPOSALS BID #2025-12

The Town of Montville is interested in receiving proposals for the Gutterman Road Repaving project. A copy of the plans and specifications is available at www.montville-ct.org.

All proposals are due no later than <u>June 26, 2025 at 10:00 AM</u> and must be received at the Finance Office prior to the due date and time. A proposal must be delivered by hand, or by regular or overnight mail to the Town of Montville, Finance Office, 310 Norwich/New London Turnpike, Uncasville, Connecticut 06382, with the proposal contained in a sealed envelope marked "Gutterman Road Repaving". The proposal must be signed by a Company official. Proposals will be opened and read aloud in the Finance Office.

In addition to other reservations and conditions contained in the proposal documents, the Town of Montville reserves the right to waive any technical defects in the proposals received; to waive any formalities or irregularities; to reject any and all proposals for any reason, including that it or they do not conform to the terms and conditions described herein, as determined by the Town in its sole discretion; to accept or reject any part of any proposal received; to present and negotiate terms of a contract together or separately with any party submitting a proposal; to determine qualifications exclusively and finally; to request additional qualifications; and to select any proposal or part thereof based on any combination of factors, including the amount proposal, the time of completion, and the Town's best interests. The Town further reserves the right to retain all proposals submitted and to use any ideas in a proposal regardless of whether or not that proposal is selected.

Leonard G. Bunnell Sr., Mayor Town of Montville

II. INFORMATION TO BIDDERS

INFORMATION TO BIDDERS

1. Bid Documents:

Complete sets of the Bidding Documents are available digitally only as stated in the advertisement or invitation to bid. Neither the Owner nor Engineer will be responsible for full or partial sets of Bid Documents obtained from any other source.

Complete sets of Bidding Documents shall be used in preparing Bids; neither Owner nor Engineer assumes any responsibility for errors or misinterpretations resulting from the use of incomplete sets of Bidding Documents.

2. Interpretations and Addenda:

No interpretation of the meaning of the Drawings, Specifications, or other prebid documents will be made to any bidder orally. Every request for such interpretation must be in writing and addressed to Kyle Haubert, CLA Engineers, Inc., 317 Main Street, Norwich, CT 06360; Fax: 860-886-9165, email at: khaubert@claengineers.com. Interpretations or clarifications considered necessary in response to such questions will be issued by Addenda. Questions received less than seven (7) days prior to the date and time for opening of Bids may not be answered. Only questions answered by Addenda will be binding. Oral and other interpretations or clarifications will be without legal effect.

Addenda may be issued to clarify, correct, or change the Bidding Documents as deemed advisable by Owner or Engineer.

Potential Bidders are responsible for checking the Town of Montville website at http://www.townofmontville.org/ for any addendums and updates regarding this Bid.

3. Receipt of Bids:

Sealed bids (1 original & 1 copy) for the "Town of Montville, Gutterman Road Repaving" will be received at the Finance Office, Montville Town Hall located at 310 Norwich New London Tpke, Uncasville, Connecticut 06382, at the time specified in the advertisement for bids, then opened and read aloud.

The envelopes containing the bids must be sealed and designated as "Town of Montville, Gutterman Road Repaving".

The Owner may consider informal any bid not prepared and submitted in accordance with the provisions hereof and may waive any informalities in or reject any and all bids. Conditional or qualified bids will not be accepted. Any bid received after the time and date specified shall not be considered. Should there be reasons why the contract cannot be awarded within the specified period the time may be extended by mutual agreement between the Owner and the bidder.

4. Definitions:

The following terms as used in this contract are defined as follows:



- A. Owner The Owner of the project is Town of Montville, acting through the Mayor.
- B. <u>Contractor</u> The term "Contractor" as hereinafter used shall refer to the General Contractor for this job.
- C. <u>Owner's Representative</u> The term "Owner's Representative" as hereinafter used shall refer to any authorized staff, engineer or inspector who is appointed by the Owner to supervise, test or oversee the work herein specified.
- E. <u>Contract</u> Wherever the term "contract" is used in this document, it shall mean the actual bid form, information to bidders, agreement, specifications, contract drawings or formal purchase order issued to the Contractor.
- F. <u>Project Site</u> The project site is located along Gutterman Road as indicated on the project plans.
- 5. The Owner reserves the right to reject any or all bids, or any part of any bid or waive any informality in bids received, where such action is deemed in the best interest of the Owner.

6. Experience:

The Owner will not award this contract unless the Contractor furnishes satisfactory evidence of his/her ability and experience to perform this work, and that he/she has sufficient capital and equipment to enable him/her to execute the work successfully and to complete it within specified time. As part of the bid, at the request of the Owner, the Contractor must submit a list of five similar and successfully completed jobs whose relevance to the proposed job shall be deemed by the Owner. The name, address, and telephone number of a contact person involved with each of these projects must be included.

7. Method of Award-Lowest Qualified Bidder

If, at the time this Contract is to be awarded, the lowest base bid submitted by a responsible bidder which demonstrates adequate experience and does not exceed the amount of funds then estimated by the Owner as available to finance the Contract, the Contract will be awarded on the lowest base bid. If such bid exceeds such amount, the Owner expressly reserves the right to increase or decrease any class, item, or part of the work, and this reservation includes the omission of any such item, items, class, or part of the work as may be decided by the Owner at unit prices submitted by the bidder to bring the Contract within available funds; or the Owner may reject all bids. In determining the lowest qualified bidder the total price bid for the Basic Contract will be used.

8. <u>Time of Completion & Liquidated Damages:</u>

The selected Contractor must obtain bonding, insurance and sign a contract within five (5) days of receipt of notice of award. The bidder must agree to commence work on or before a date to be specified in a written "Notice to Proceed" of the Owner.



The Work will be substantially completed within <u>45 calendar days</u> after the date when the Contract Times commence as outlined in the Notice to Proceed.

Contractor and Owner recognize that time is of the essence and that Owner will suffer financial loss if the Work is not completed within the times specified above, plus any extensions thereof allowed in accordance with the General Conditions. The parties also recognize the delays, expense, and difficulties involved in proving in a legal or arbitration proceeding the actual loss suffered by Owner if the Work is not completed on time. Accordingly, instead of requiring any such proof, Owner and Contractor agree that as liquidated damages for delay (but not as a penalty), Contractor shall pay Owner \$1,000.00 for each day that expires after the time specified in the Paragraph above for Substantial Completion until the Work is substantially complete.

9. Employment of Labor:

The wages paid to mechanics, laborers or workmen employed upon the work herein contracted to be done shall be at a rate equal to the rate of wages prevailing for the same work in the same trade or occupation in the Montville area as determined by the labor Commissioner of the State of Connecticut. See Section 31-53 of the General Statues of the state of Connecticut, Revision of 195S, as amended.

Public Act 79-325 passed by the 1979 Legislature covers exemptions from Section 31-53 of the General Statutes. Under the new exemptions, effective October 1985, the regulations that the prevailing wage must be paid for work performed by contractors and subcontractors in connection with work on public facilities will not apply:

To public work alterations, repair, refinishing projects with total cost of less than \$100,000.

To public works new construction with a total cost of less than \$1,000,000.

All Contractors are informed that the project is considered <u>Alteration/Repair Work</u>.

All Contractors are advised to inform themselves and to comply with the requirements of Federal, State and local laws governing the employment of labor. The Contractor shall provide certified payroll sheets to the Town, which shall include all employees involved with the project for each payroll period during the course of the project.

10. Bid Security:

Each bid must be accompanied by a certified check of the bidder, or a bid bond prepared on the form of bid bond attached hereto, duly executed by the bidder as principal and having as surety thereon a surety company approved by the Owner, in the amount of <u>5 percent (5%)</u> of the bid. Such checks or bid bonds will be returned to all but the three lowest bidders within five days after the opening of bids, and the remaining checks or bid bonds will be returned promptly after the Owner and the accepted bidder have executed the contract; or if no award has been made within 60 days after the date of the opening of the bids, upon demand of the



bidder at any time there-after, so long as he has not been notified of the acceptance of his bid. The bid bond of the successful bidder will be retained until the payment bond and performance bond have been executed and approved, after which it will be returned.

11. Contract Security:

The Contractor shall furnish a Performance Bond and Payment Bond in amounts equal to at least one hundred percent (100%) of the contract price as security for the faithful performance of the Contract, and for the payment of all persons performing labor on the project under this contract and furnishing materials, equipment and all other incidentals in connection with this contract. The Surety on such a bond shall be a duly authorized surety company satisfactory to the Owner and the cost of the same shall be paid by the Contractor prior to the starting of any work, the bonds must be approved by the Owner and be in the Owner's hands. The bonds must be from a surety company licensed and approved to do business in the State of Connecticut.

12. Guarantee:

The Contractor at no cost to the Owner shall replace any material or workmanship found to be defective for up to one year from the date of acceptance by the Superintendent. Upon notification of defective material or workmanship, the Contractor shall immediately replace such defective areas, unless otherwise instructed by the Owner. To this end the Contractor shall provide a maintenance bond through the guarantee period. The bonding company shall be acceptable to the Owner.

13. Standard Specification:

The Standard Specifications for Roads, Bridges, and Incidental Construction, Form 819, as revised, of the State of Connecticut, as specifically referenced to in the Technical Specifications, shall apply and be considered a part of this specification as though it were bound herein. The Standard Specification is available from the following:

https://portal.ct.gov/dot/business/manuals?language=en_US

Department of Transportation Engineer of Contracts 2800 Berlin Turnpike P.O. Box 317546 Newington, CT 06131-7546

14. Uncertainty of Quantities:

The quantities listed in the bid (proposal) are approximate and are given only for use in comparing bids and to indicate approximately the total amount of the Contract; and the Owner does not expressly or by implication represent that the actual amounts of work will even approximately correspond therewith, but does call particular attention to the uncertainty of the quantities of the work involved which cannot be predicted in advance The work under certain items may be materially greater or less than that given in the bid, as may be necessary in the judgment of the Owner to complete the work contemplated in the Contract.



Under the Contract, the Owner reserves the right to increase or decrease the approximate quantities for, or to omit entirely, any of the items as listed in the bid.

Only such quantities of the respective items of work actually performed and accepted will be paid for. An increase or decrease in the quantity for any item shall not be regarded as grounds for an increase or decrease in the bid prices.

15. Description of Work:

Work under this contract includes supplying all material, equipment and labor incidental thereto to perform the work outlined on the project plans and generally includes the following:

- A. Provide maintenance and protection of traffic as needed.
- B. Install and maintain erosion & sedimentation controls.
- C. Perform fine milling of the existing roadway. Remove and legally dispose of excess materials.
- D. Repave the roadway with bituminous concrete to the thickness specified.
- E. Saw cut and repave existing driveway aprons as required.
- F. Restore all disturbed surfaces.

III. PROPOSAL FORMS

BID FORM

TOWN OF MONTVILLE GUTTERMAN ROAD REPAVING MONTVILLE, CONNECTICUT

TO:	Town of Montville	FROM:			
	Finance Office 310 Norwich-New London T Uncasville, CT 06382	pke.			
the Pro Monty technic supplic require	ndersigned, having familiarize oject Site affecting the cost of ville, Gutterman Road Repartable and personnel, labor, material and to perform and complete this rethe unit prices for work in place.	the work, and wiving project and ls, equipment, g else necessary is Contract, all i	with the Ond hereby tools, ap y, including accordance.	Contract Documer proposes to fur purtenances, ser ng utility and trance with the Co	ents for the Town of rnish all supervision rvices, materials not ansportation services
_	rices are to be written in both v ds will govern.	vords and figure	es. In case	e of discrepancy,	the unit price shown
The C	uantity of the units shown b Owner reserves the right to actor will be based on compl	increase or d	ecrease	these quantitie	s. Payment to the
<u>ITEM</u>	<u>DESCRIPTION</u>	QUANTITY	<u>UNIT</u>	UNIT PRICE	<u>AMOUNT</u>
1.	Maintenance and Protection of Traffic	L.S.	L.S.		
UNIT	PRICE IN WORDS:				
2. UNIT	Fine Milling: 0-2" Thick PRICE IN WORDS:	L.S.	L.S.		

<u>ITEM</u>	<u>DESCRIPTION</u>	QUANTITY	<u>UNIT</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
3.	Bituminous Overlay on Milled Surface	L.S.	L.S.		
UNIT	PRICE IN WORDS:				
4.	Bituminous Concrete For Driveways	2,500	S.F.		
UNIT	PRICE IN WORDS:				
5.	New Pavement Base Section	500	S.F.		
UNIT	PRICE IN WORDS:				
TOTA	L BID AMOUNT:				
TOTA	L BID AMOUNT IN WOR	DS:			

This contract is to be awarded to that responsible Bidder whose total bid is the lowest number of dollars for the above items.

The undersigned agrees, if awarded the Contract, to execute and fully complete all work in accordance with *the Information To Bidders*. The undersigned has checked carefully all the above figures and understands that the OWNER will not be responsible for any errors or omissions on the part of the undersigned in making up this bid.

The Contractor acknowledges the receipt of the following Addenda;

Addendum No	, dated	
Addendum No	, dated	
Addendum No.	, dated	
Enclosed is the Bidder's B	ond Certified Check or Cashier's Check	τ No in the amoun

Contractor understands that the Owner reserves the right to reject any or all bids and to waive any informalities in the bidding. The Contractor agrees that this bid shall be good and may not be withdrawn for a period of 60 calendar days after the scheduled closing time for receiving bids.

In submitting this Bid, Bidder represents that:

of five (5%) of the Bid.

- A. Bidder has examined and carefully studied the Bidding Documents, other related data identified in the Bidding Documents including any addenda.
- B. Bidder has visited the Sites and become familiar with and is satisfied as to the general, local, and Site conditions that may affect cost, progress, and performance of the Work.
- C. Bidder is familiar with and is satisfied as to all Laws and Regulations that may affect cost, progress, and performance of the Work.
- D. Bidder has considered the information known to Bidder; information commonly known to contractors doing business in the locality of the Site; information and observations obtained from visits to the Site; the Bidding Documents; and drawings identified in the Bidding Documents, with respect to the effect of such information, observations, and documents on (1) the cost, progress, and performance of the Work; (2) the means, methods, techniques, sequences, and procedures of construction to be employed by Bidder, including applying the specific means, methods, techniques, sequences, and procedures of construction expressly required by the Bidding Documents; and (3) Bidder's safety precautions and programs.
- E. Based on the information and observations referred to in Paragraph D above, Bidder does not consider that further examinations, investigations, explorations, tests, studies, or data are necessary for the determination of this Bid for performance of the Work at the price(s) bid and within the times required, and in accordance with the other terms and conditions of the Bidding Documents.
- F. Bidder is aware of the general nature of work to be performed by Owner and others at the Site that relates to the Work as indicated in the Bidding Documents.

- G. Bidder has given Engineer written notice of all conflicts, errors, ambiguities, or discrepancies that Bidder has discovered in the Bidding Documents, and the written resolution thereof by Engineer is acceptable to Bidder.
- H. The Bidding Documents are generally sufficient to indicate and convey understanding of all terms and conditions for the performance of the Work for which this Bid is submitted.

Respectfully submitted:	
D _v ,	
By(Title)	
(Business Address)	
(Telephone Number)	
(Email or Fax)	

(SEAL - if bid is by a corporation)

BID BOND

KNOW ALL MEN BY THESE PRESENTS, that we the undersigned,
, as PRINCIPAL, and
as SURETY are held and firmly bound unto the Town of Montville hereinafter called the
"OWNER", in the penal sum of Five Percent of Total Bid Dollars, (\$5% of Total Bid) lawful
money of the United States, for the payment of which sum well and truly to be made, we bind
ourselves, our heirs, executors, administrators, successors, and assigns, jointly and severally,
firmly by these Presents.
THE CONDITION OF THIS OBLIGATION IS SUCH, that whereas the Principal has submitted
the Accompanying Bid, dated, 20, for
Town of Montville – Gutterman Road Repaving

NOW, THEREFORE, if the Principal shall not withdraw said Bid within the period specified therein after the opening of the same, or, if no period be specified, within ninety (90) days after the said opening, and shall within the period specified therefor, or if no period be specified, within ten (10) days after the prescribed forms are presented to him for signature, enter into a written Contract with the Owner in accordance with the Bid, as accepted, and give bond with good and sufficient surety or sureties, as may be required, for the faithful performance and proper fulfillment of such Contract; or in the event of the withdrawal of said Bid within the period specified, or the failure to enter into such Contract and give such bond within the time specified, the Principal shall pay the Owner the difference between the amount specified in said Bid and the Amount for which the Owner may procure the required work or supplies or both, if the latter be in excess of the former, then the above obligation shall be void and of no effect, otherwise to remain in full force and virtue.

IN WITNESS WHEREOF, t	he above-bounded parties	nave executed this instrument under their
several seals this	_day of	, 20, the name and corporate seal
of each corporate party bein	g hereto affixed and these	presents duly signed by its undersigned
representative, pursuant to au	thority of its governing boo	dy. In presence of:
(Individual Principal)		(SEAL)
(Partnership)		(Business Address) (SEAL)
Attest:	Ву:	(Business Address)
	_	(Corporate Principal)
	Ву:	(Business Address) Affix Corporate Seal
Attest:		
	_	(Corporate Surety)
	By:	Affix Corporate Seal
Countersigned		
by	_	
Attorney-in-Fact, State of		
(Power-of-Attorney for person	n signing for surety compa	ny must be attached to bond.)

PROPOSED SUBCONTRACTORS

THE BIDDER SHALL STATE THE NAMES OF ALL THE SUBCONTRACTORS THAT HE PROPOSES TO USE. ATTACH ADDITIONAL SHEETS IF NEEDED.

If none, write "None"	
*Description of Work	
Proposed Subcontractor, Name	
Address	
*Description of Work	
Proposed Subcontractor, Name	
Address	_
*Description of Work	
Proposed Subcontractor, Name	
Address	
*Insert description of work and subcontracto	rs' names as may be required.
This is to certify that all names of the above-knowledge and consent of the respective part	mentioned subcontractors are submitted with full ties.
The Bidder warrants that none of the propose respects this contract.	ed subcontractors have any conflict of interest as
	Bidder (Fill in Name)
	By(Signature and Title)
	(Signature and Title)

PROPOSED SUPPLIERS

THE BIDDER SHALL STATE THE NAMES OF PROPOSED MATERIAL SUPPLIERS FOR THE PROJECT. ATTACH ADDITIONAL SHEETS IF NEEDED.

If none, write "None"	
*Description of Material	
Proposed Supplier, Name	
Address	
*Description of Material	
Proposed Supplier, Name	
Address	
*Description of Material	
Proposed Supplier, Name	
Address	
*Insert description of work and suppliers names a	as may be required.
This is to certify that all names of the above knowledge and consent of the respective parties.	e-mentioned suppliers are submitted with full
The Bidder warrants that none of the proposed suthis contract.	uppliers have any conflict of interest as respects
Bido	ler(Fill in Name)
By_	(Signature and Title)
	(Signature and Title)

STATEMENT OF BIDDER'S QUALIFICATIONS

All questions must be answered and the data given must be clear and comprehensive. This statement must be notarized. If necessary, questions may be answered on separate attached sheets. The Bidder may submit any additional information he desires.

- 1. Name of Bidder.
- 2. Permanent main office address.
- 3. When organized.
- 4. If a corporation, where incorporated.
- 5. How many years have you been engaged in the contracting business under Your present firm or trade name?
- 6. Contracts on hand: (Schedule these, showing amount of each contract and the appropriate dates of completion.
- 7. General character of work performed by your company.
- 8. Have you ever failed to complete any work awarded to you? If so, where and why?
- 9. Have you ever defaulted on a contract? If so, where and why?
- 10. List the more important projects recently completed by your company, stating the approximate cost for each, and the month and year completed.
- 11. List your major equipment available for this contract.
- 12. Experience in construction work similar in importance to this project.
- 13. Background and experience of the principal members of your organization including the officers.
- 14. Will you, upon request, fill out a confidential detailed financial statement and furnish any other information that may be required by the OWNER?

Dated at	this	day of		, 20	
			(Name of	Bidder)	
		Ву			
		Title			
State of)			
County of) ss.)			
	of	being duly	sworn deposes	and says that he is nization)	
	01		(name of organ	nization)	
and that the ans	wers to the foreg	going questions a	nd all statemen	its therein containe	d are true and
Subscribed and	sworn to before	me this	day of	, 20	
			N	Notary Public	
My Commissio	on expires	20 _	·		

The undersigned hereby authorizes and requests any person, firm, or corporation to furnish any information requested by the Owner or representative in verification of the recitals

comprising this Statement of Bidder's Qualifications.

NONDISCRIMINATION IN EMPLOYMENT

State of)
) ss
County of)
, bein	g first duly sworn, deposes and says that:
(1) He is (owner, partner, officer, represent, the bidder that has submitted	ed the attached bid;
(2) Said bidder (has) (has not President's Executive Order No. 11246, or) previously performed work subject to the any preceding similar Executive Order.
	Signed
	Title
Subscribed and Sworn to before me	
thisday of20	
Tid.	_
Title	
My Commission expires	20

NON-COLLUSION AFFIDAVIT OF PRIME BIDDER

State	of)					
Coun) ss. hty of)					
		, being first duly				
swori	n, deposes and says that:					
(1)	He is (owner, partner, officer, representative or agent) of, the Bidder that has submitted the attached bid;					
(2)	He is fully informed respecting the preparation and contents of the attached Bid and of all pertinent circumstances respecting such Bid;					
(3)	Such Bid is genuine and is not a collusive or sham Bid;					
(4)	Neither the said Bidder nor any of its officers, partners, owners, agents, representatives employees or parties in interest, including this affiant, has in any way colluded conspired, connived or agreed, directly or indirectly with any other Bidder, firm or person to submit a collusive or sham Bid in connection with the Contract for which the attached Bid has been submitted or to refrain from Bidding in connection with such Contract, or has in any manner, directly or indirectly, sought by agreement or collusion or communication or conference with any other Bidder, firm or person to fix the price or prices in the attached Bid or of any other Bidder, or to fix any overhead, profit or cost element of the Bid price or the Bid price of any other Bidder or to secure through any collusion, conspiracy, connivance or unlawful agreement any advantage against the Owner or any person interested in the proposed Contract; and					
(5)	The price or prices quoted in the attached Bid are fair and proper any collusion, conspiracy, connivance or unlawful agreement on any of its agents, representatives, owners, employees, or parties it affiant. (Signed)	the part of the Bidder or				
	/mm1					
Subse	(Title cribed and sworn to before me	2)				
	day of20					
	(Title) My Commission expires	, 20 .				

CERTIFICATE AS TO CORPORATE PRINCIPAL

I,	, certify that I am th
Secretary of the corpo	tion named as Principal in the within bond; that
	, who signed the said bond on behalf of the Principal wa
then	of said corporation; that I know his signature, an
his signature thereto i	genuine; and that said bond was his duly signed, sealed, and attested to fo
and in behalf of said	eporation by authority of this governing body.
	(Corporate Seal)
	Title:

BID BOND

KNOW ALL MEN BY THESE PRESENTS, that we the undersigned,			
, as PRINCIPAL, and			
as SURETY are held and firmly bound unto the <u>Town of Montville</u> hereinafter called the "OWNER", in the penal sum of Five Percent of Total Bid Dollars, (\$5% of Total Bid) lawful money of the United States, for the payment of which sum well and truly to be made, we bind			
ourselves, our heirs, executors, administrators, successors, and assigns, jointly and severally, firmly by these Presents.			
THE CONDITION OF THIS OBLIGATION IS SUCH, that whereas the Principal has submitted			
the Accompanying Bid, dated, 20, for			
Town of Montville – Gutterman Road Repaving			

NOW, THEREFORE, if the Principal shall not withdraw said Bid within the period specified therein after the opening of the same, or, if no period be specified, within ninety (90) days after the said opening, and shall within the period specified therefor, or if no period be specified, within ten (10) days after the prescribed forms are presented to him for signature, enter into a written Contract with the Owner in accordance with the Bid, as accepted, and give bond with good and sufficient surety or sureties, as may be required, for the faithful performance and proper fulfillment of such Contract; or in the event of the withdrawal of said Bid within the period specified, or the failure to enter into such Contract and give such bond within the time specified, the Principal shall pay the Owner the difference between the amount specified in said Bid and the Amount for which the Owner may procure the required work or supplies or both, if the latter be in excess of the former, then the above obligation shall be void and of no effect, otherwise to remain in full force and virtue.

IN WITNESS WHEREOF, t	he above-bounded parties h	ave execute	d this instrument under their
several seals this	_ day of		the name and corporate seal
of each corporate party bein	g hereto affixed and these	presents dul	y signed by its undersigned
representative, pursuant to au	thority of its governing bod	y. In presen	ce of:
(Individual Principal)		(2)	SEAL)
(Partnership)		(Busines	s Address) (SEAL)
Attest:	Ву:		s Address)
	_	(Corpora	te Principal)
	Ву:	`	S Address) Affix Corporate Seal
Attest:			
	_	(Corpora	te Surety)
	By:		Affix Corporate Seal
Countersigned			
by	_		
Attorney-in-Fact, State of			
(Power-of-Attorney for person	on signing for surety compar	y must be a	ttached to bond.)

PROPOSED SUBCONTRACTORS

THE BIDDER SHALL STATE THE NAMES OF ALL THE SUBCONTRACTORS THAT HE PROPOSES TO USE. ATTACH ADDITIONAL SHEETS IF NEEDED.

If none, write "None"	
*Description of Work	
Proposed Subcontractor, Name	
Address	_
*Description of Work	
Proposed Subcontractor, Name	
Address	
*Description of Work	
Proposed Subcontractor, Name	
Address	
*Insert description of work and subcontracto	ors' names as may be required.
This is to certify that all names of the above-knowledge and consent of the respective par	mentioned subcontractors are submitted with full ties.
The Bidder warrants that none of the propose respects this contract.	ed subcontractors have any conflict of interest as
	Bidder (Fill in Name)
	By(Signature and Title)
	(Signature and Title)

PROPOSED SUPPLIERS

THE BIDDER SHALL STATE THE NAMES OF PROPOSED MATERIAL SUPPLIERS FOR THE PROJECT. ATTACH ADDITIONAL SHEETS IF NEEDED.

If none, write "None"	
*Description of Material	
Proposed Supplier, Name	
Address	_
*Description of Material	
Proposed Supplier, Name	
Address	
*Description of Material	
Proposed Supplier, Name	
Address	
*Insert description of work and suppliers names	as may be required.
This is to certify that all names of the above knowledge and consent of the respective parties	ve-mentioned suppliers are submitted with full
The Bidder warrants that none of the proposed this contract.	suppliers have any conflict of interest as respects
Bio	lder(Fill in Name)
Ву	(Signature and Title)
	(Signature and Title)

STATEMENT OF BIDDER'S QUALIFICATIONS

All questions must be answered and the data given must be clear and comprehensive. This statement must be notarized. If necessary, questions may be answered on separate attached sheets. The Bidder may submit any additional information he desires.

- 1. Name of Bidder.
- 2. Permanent main office address.
- 3. When organized.
- 4. If a corporation, where incorporated.
- 5. How many years have you been engaged in the contracting business under Your present firm or trade name?
- 6. Contracts on hand: (Schedule these, showing amount of each contract and the appropriate dates of completion.
- 7. General character of work performed by your company.
- 8. Have you ever failed to complete any work awarded to you? If so, where and why?
- 9. Have you ever defaulted on a contract? If so, where and why?
- 10. List the more important projects recently completed by your company, stating the approximate cost for each, and the month and year completed.
- 11. List your major equipment <u>available for this</u> contract.
- 12. Experience in construction work similar in importance to this project.
- 13. Background and experience of the principal members of your organization including the officers.
- 14. Will you, upon request, fill out a confidential detailed financial statement and furnish any other information that may be required by the OWNER?

comprising	g this Statement of	of Bidder's Quali	fications.		
Dated at	this	day of		, 20	
			(Name o	f Bidder)	
		Ву			
		Title			
State of					
County of) ss.)			
	of	being duly	sworn deposes	s and says that he is	
			(name of orga nd all stateme	nnization) ents therein containe	ed are true and
Subscribed and	sworn to before	me this	day of	, 20	
				Notary Public	
My Commissio	n expires	20	·		

The undersigned hereby authorizes and requests any person, firm, or corporation to furnish any information requested by the Owner or representative in verification of the recitals

NONDISCRIMINATION IN EMPLOYMENT

State of)
County of) ss
County of	
, being	g first duly sworn, deposes and says that:
(1) He is (owner, partner, officer, representa, the bidder that has submitte	
(2) Said bidder (has) (has not President's Executive Order No. 11246, or a) previously performed work subject to the my preceding similar Executive Order.
	Signed
	Title
Subscribed and Sworn to before me	
thisday of20	<u>-</u> :
	_
Title	_
My Commission expires	. 20

NON-COLLUSION AFFIDAVIT OF PRIME BIDDER

State	of)		
Coun) ss. aty of)		
Coun	ity 01		
		, being first duly	
swor	n, deposes and says that:		
(1)	He is (owner, partner, officer, representative or agent) of, the Bidder that has submitted the attached bid;		
(2)	He is fully informed respecting the preparation and contents of all pertinent circumstances respecting such Bid;	of the attached Bid and of	
(3)	Such Bid is genuine and is not a collusive or sham Bid;		
(4)	Neither the said Bidder nor any of its officers, partners, owner employees or parties in interest, including this affiant, ha conspired, connived or agreed, directly or indirectly with any of to submit a collusive or sham Bid in connection with the Contr. Bid has been submitted or to refrain from Bidding in connection has in any manner, directly or indirectly, sought by agricommunication or conference with any other Bidder, firm or prices in the attached Bid or of any other Bidder, or to fix any element of the Bid price or the Bid price of any other Bidder collusion, conspiracy, connivance or unlawful agreement and Owner or any person interested in the proposed Contract; and	s in any way colluded, her Bidder, firm or person act for which the attached on with such Contract, or reement or collusion or person to fix the price or y overhead, profit or cost or to secure through any	
(5)	The price or prices quoted in the attached Bid are fair and proper and are not tainted any collusion, conspiracy, connivance or unlawful agreement on the part of the Bidder any of its agents, representatives, owners, employees, or parties in interest, including t affiant. (Signed)		
	(818188)		
	(Tit	le)	
	cribed and sworn to before me		
this _	day of 20		
	(Title) My Commission expires	20	
	wry Commission expires	, , ∠∪	

CERTIFICATE AS TO CORPORATE PRINCIPAL

I,	, certify that I am the
Secretary of the corpora	ation named as Principal in the within bond; that
	, who signed the said bond on behalf of the Principal was
then	of said corporation; that I know his signature, and
his signature thereto is	genuine; and that said bond was his duly signed, sealed, and attested to for
and in behalf of said co	rporation by authority of this governing body.
	(Corporate Seal)
	Title:

IV. AGREEMENT AND BOND FORMS

Civil · Structural · Survey

AGREEMENT

THIS AGREEMENT	Γ, made this the day of	2025, by and	d between Town of
Montville, Connection	cut acting herein through Leo	nard G. Bunnell Sr., Mayor	hereinafter called
"OWNER" and	to be determined	an individual,	a partnership, a
corporation doing bu	usiness at	to be determined	hereinafter
called the "CONTRA	ACTOR".		
WITNESSETH: The mentioned;	at for and in consideration	of the payments and agre	ements hereinafter
1. The CONTR Road Repay	ACTOR will commence and ing.	complete the Town of Mon	tville, Gutterman
equipment, la	ACTOR will furnish all of the abor and other services necess escribed herein.		
DOCUMENT and will com	RACTOR will commence IS WITHIN 10 calendar days applete the same within <u>30</u> context extended otherwise by the Context of the	s after the date of the NOTIO onsecutive calendar days un	CE TO PROCEED less the period for
DOCUMEN'	ACTOR agrees to perform I'S and comply with the terms nown in the Bid schedule.		
final accepta	ACTOR agrees the sum of 5% nce of the PROJECT further period of ninety days from fi	the sum of 2% of the total	
6. The term "Co	ONTRACT DOCUMENTS" r	means and includes the follo	wing:
Inform Bid P Bid B Propo Stater	tion to Bid nation to Bidders roposal ond sed Subcontractors nent of Experience fication Statement		

Contract Agreement Form of Payment Bond Form of Performance Bond **Technical Specifications** Drawings prepared by CLA Engineers, Inc. Specifications prepared by CLA Engineers, Inc. Addenda: No. _____, dated _____ No. ______, dated ______ No. , dated 7. The OWNER will pay the CONTRACTOR in the manner and at such times as set forth in the General Conditions such amounts as required by the CONTRACT DOCUMENTS. 8. This Agreement shall be binding upon all parties hereto and their respective heirs, executors, administrators, successors, and assigns. IN WITNESS WHEREOF, the parties hereto have executed, or caused to be executed by their duly authorized officials, this Agreement in (3 copies) each which shall be deemed an original on the date first above written. OWNER: Town of Montville BY _____(Leonard G. Bunnell Sr., Mayor) ATTEST _____

CONTRACTOR:_____

ATTEST

PERFORMANCE BOND

KNOW ALL	MEN BY THESE PRESENT	S: That we
		(Name of Contractor)
	a	n, Partnership, or Individual)
hereinafter ca	lled "Principal" and	
		(Surety)
of ,	State of	hereinafter called the
"Surety", are	held and firmly bound unto	The Town of Montville, hereinafter
		(Owner)
called "Owner	r", in the penal sum of	Dollars
(\$) in lawful n	Dollars noney of the United States, for the payment made, we
bind ourselve	s, and successors, jointly pr ministrators and severally, fir	resents of which sum well and truly to be our heirs,
into a certain	contract with the Owner, date	AIGATION is such that Whereas, the Principal entered ed the day of , 20_, a copy thereof for the construction of:
	TOW	N OF MONTVILLE
	GUTTERM	AN ROAD REPAVING

NOW, THEREFORE, if the Principal shall well, truly and faithfully perform its duties, all the undertakings, covenants, terms, conditions, and agreements of said contract during the original term thereof, and any extensions thereof which may be granted by the Owner, with or without notice to the Surety, and if he shall satisfy all claims and demands incurred under such contract, and shall fully indemnify and save harmless the Owner from all costs and damages which it may suffer by reason of failure to do so, and shall reimburse and repay the Owner all outlay and expense which the Owner may incur in making good any default, then this obligation shall be void; otherwise to remain in full force and effect.

PROVIDED, FURTHER, that the said Surety, for value received hereby stipulates and agrees that no change, extension of time, alteration or addition to the terms of the contract or to the work to be performed thereunder of the specifications accompanying the same shall in any wise affect its obligation on this bond, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of the contract or to the work of to the specifications.

PROVIDED, FURTHER, that no final settlement between the Owner and the Contractor shall abridge the right of any beneficiary thereunder, whose claim may be unsatisfied.

IN WITNESS WHEREOF, this instruments which shall be deemed an original, this the _	ument is executed in six (6) counterparts, each day of, 20
ATTEST:	
	Principal
	By(s)
(Principal) Secretary (SEAL)	
	(Address-Zip Code)
Witness as to Principal	
(Address-Zip Code)	
	Surety
ATTEST:	
	Ву
(Surety) Secretary (SEAL)	Attorney-in-Fact
Witness as to Surety	
	(Address-Zip Code)
(Address-Zip Code)	

NOTE: Date of Bond must not be prior to date of Contract. If Contractor is Partnership, all

partners should execute bond.

one of

PAYMENT BOND

KNOW ALL MEN BY THESE PRESENTS: That we	
(Name of C	
a	
(Corporation, Partnership, or Individual)	
hereinafter called "Principal" and	
(Surety)	
of, State of her	einafter called
the "Surety", are held and firmly bound unto The Town of Montville (Owner)	2
hereinafter called "Owner", in the penal sum of	for the payment made, we
THE CONDITION OF THIS OBLIGATION is such that Whe into a certain contract with the Owner, dated the day of of which is hereto attached and made a part hereof for the construction	, 20_, a copy
TOWN OF MONTVILLE	
GUTTERMAN ROAD REPAVING	

NOW, THEREFORE, if the Principal shall well, truly and faithfully perform its duties, all the undertakings, covenants, terms, conditions, and agreements of said contract during the original term thereof, and any extensions thereof which may be granted by the Owner, with or without notice to the Surety, and if he shall satisfy all claims and demands incurred under such contract, and shall fully indemnify and save harmless the Owner from all costs and damages which it may suffer by reason of failure to do so, and shall reimburse and repay the Owner all outlay and expense which the Owner may incur in making good any default, then this obligation shall be void; otherwise to remain in full force and effect.

PROVIDED, FURTHER, that the said Surety, for value received hereby stipulates and agrees that no change, extension of time, alteration or addition to the terms of the contract or to the work to be performed thereunder of the specifications accompanying the same shall in any wise affect its obligation on this bond, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of the contract or to the work of to the specifications.

PROVIDED, FURTHER, that no final settlement between the Owner and the Contractor shall abridge the right of any beneficiary hereunder, whose claim may be unsatisfied.

ATTEST:		
	Principal	
	By(s)	
(Principal) Secretary (SEAL)		
	(Address-Zip Code)	
Witness as to Principal		
(Address-Zip Code)		
	Surety	
ATTEST:		
	Ву	
(Surety) Secretary (SEAL)	Attorney-in-Fact	
Witness as to Surety		
	(Address-Zip Code)	
(Address-Zip Code)		

NOTE: Date of Bond must not be prior to date of Contract. If Contractor is Partnership, all partners should execute bond.

V. GENERAL CONDITIONS

ARTICLE 1 CONTRACT AND CONTRACT DOCUMENTS

The drawings, plans, specifications, and addenda enumerated in Article 1 of the General Conditions, Special Conditions, the Advertisement for Bid, the Information for Bidders, and the Bid Proposal as accepted by the OWNER, shall be binding upon the parties to this Agreement as if fully set forth therein. Whenever the term Contract Documents is used it shall mean and include the drawings, specifications and addenda. The OWNER shall interpret his own requirements. In case of conflict or inconsistency between the provisions of the signed portions of the Contract Documents and those of the specifications, the provisions of the signed portions shall govern.

ARTICLE 2 DEFINITIONS

The following terms as used in this contract are defined as follows:

- A. Owner The Owner of the project is the **Town of Montville**.
- B. Contractor The term "Contractor" as hereinafter used shall refer to the General Contractor for this job.
- C. Owner's Representative The term "Owner's Representative" as hereinafter used shall refer to any engineer or inspector whom the Owner may designate to inspect, test or oversee the work herein specified.
- D. <u>Contract</u> Wherever the term "contract" is used in the General Conditions, it shall mean the actual bid form, specifications, Plans, General Conditions, Special Conditions and formal purchase order issued to successful bidder.

The rights and obligations of the CONTRACTOR under this contract shall include, but not be limited to the following:

ARTICLE 3 REPRESENTATIONS OF THE CONTRACTOR

The Contractor represents and warrants:

- a. That he is financially solvent and that he is experienced and competent to perform the type of work required under this contract and that he is able to furnish the plant, materials, supplies, or equipment that may be necessary to perform the work as specified.
- b That he is familiar with all Federal, State and municipal laws, ordinances, orders, and regulations which may in any way effect the project work, or the employment of persons thereon, including but not limited to any special acts relating to the work or to the project of which it is a part.
- c. That such temporary and permanent work required by the contract documents to be done by him will be satisfactorily constructed and can be used for the purpose for which it was intended and that such construction will not injure any person or damage property.
- d. That he has carefully examined the drawings, specifications, and addenda, if any, and the site of the work and that from his own investigations, he has satisfied himself as to the nature and location of the work, the character of equipment and other facilities needed for the performance of the work, the general and local conditions, and all other items that may effect the work.
- e. That he is aware of the hazards involved in the work and the danger to life and property both evident and inherent and that he will conduct the work in a careful and safe manner without-injury to persons or property.



ARTICLE 4 CONTRACT SECURITY

The Contractor shall furnish a Performance Bond and Payment Bond in amounts equal to at least one hundred percent (100%) of the contract price as security for the faithful performance of the Contract, and for the payment of all persons performing labor on the project under this contract and furnishing materials, equipment and all other incidentals in connection with this contract. The Surety on such a bond shall be from securities listed on the most recent IRS Circular 570, satisfactory to the Owner and the cost of the same shall be paid by the Contractor. Prior to the starting of any work, the bonds must be approved by the Owner and be in the Owner's hands. The bonds must be from a surety company licensed and approved to do business in the State of Connecticut.

ARTICLE 5 CONTRACTOR'S OBLIGATIONS

The Contractor shall perform all work in a good workmanlike manner, and in accordance with the plans and specifications and any supplements thereto, and according to any directions or orders given by the Owner unless otherwise stipulated. He shall furnish all supplies, materials, except those supplies and materials furnished by the Owner, facilities, equipment, tools and anything else necessary or proper to perform and complete the work required by this contract. He shall furnish, erect, maintain, and remove any construction plant or temporary work as may be required. He alone shall be responsible for the safety, efficiency-, and adequacy of his plant, appliances, and methods and for any damage which may result from their failure or their improper construction maintenance, or operation. The Contractor shall observe, comply with, and be subject to all terms, conditions, requirements, and limitations of the contract and specifications and shall do, carry on, and complete the entire work to the satisfaction of the Owner.

The Contractor shall be solely responsible for all the work and shall provide all precautionary measures necessary for preventing injury to persons or damage to property. All injury or damage of whatever nature resulting from the work or resulting to persons, property, or the work during its progress, from whatever cause, shall be the responsibility of the Contractor.

The Contractor shall hold the Owner and Engineer, or their duly authorized agents, harmless and defend and indemnify them against damages or claims for damages due to injuries to persons or property arising out of the execution of the project work, and for damages to materials furnished for the work, for infringement of inventions, patents, and patent rights used in doing the work, and for any act, omission, or instance of neglect by the Contractor, his agents, employees, or subcontractors.

The Contractor shall bear all losses resulting to him, including but not limited to losses sustained on account of the character, quality, or quantity of any part of the work, or all parts of the work, or because the nature of the conditions in or on the project site are different from what was estimated or indicted, or on account of the weather, elements, or other causes.

ARTICLE 6 SUPERINTENDENCE BY THE CONTRACTOR

The Contractor shall give the work the constant attention necessary to facilitate the progress thereof and shall cooperate with the Owner in every possible way.

At the site of the work, the Contractor shall, at all times, employ a suitably experienced construction superintendent who shall have full authority to act for the Contractor. It is understood that the employment of such representative shall be acceptable to the Owner and shall be such a person as can be continued in the capacity for the duration of the contract, unless he ceases to be on the Contractor's payroll.

ARTICLE 7 CONSTRUCTION SCHEDULE AND PERIODIC ESTIMATES

Within five (5) days after the date of "Notice to Proceed" the Contractor shall deliver to the Owner an estimated construction progress schedule in a form satisfactory to the Owner, showing the proposed dates of commencement and completion of each of the various subdivisions of work required under the contract documents and the anticipated amount of each monthly payment that will become due the Contractor in accordance with the progress schedule. The



Contractor shall also furnish the Owner: 1. a detailed estimate, giving a complete breakdown of the contract price; and 2. periodic itemized estimates of the work done for the purpose of making partial payments thereon.

ARTICLE 8 USE OF PREMISES AND REMOVAL OF DEBRIS

The Contractor undertakes, at his own expense:

- a. To take every precaution against injuries to persons or damage to property.
- b. To store his apparatus, materials, equipment, and supplies in such orderly fashion at the site of the work as will not unduly interfere with the pro-tress of his work or any others.
- c. To place upon the work or any part thereof, only such loads as are consistent with the safety of that portion of the work.
- d. To clean frequently all refuse, scrap, and debris caused by his operations, and to dispose of same away from the site, so that the work site is maintained in a neat, workmanlike appearance.
- e. To effect all cutting, fitting, or patching of his work required to make the same conform to the drawings and specifications, and except with the consent of the Owner, not to cut or otherwise alter the work of any other contractor.
- f. Before final payment, to remove all surplus materials false work, temporary structures, including foundations thereof, plants of any description, and debris of any nature resulting from his operations and to dispose of same away from the site, so that the site is left in a neat, orderly, and workmanlike condition.

ARTICLE 9 GENERAL WARRANTY

Neither the final certificate of payment nor any provision in the contract documents nor partial or entire occupancy of the premises by the Owner shall constitute an acceptance of work not done in accordance with the contract documents or relieve the Contractor of liability in respect to any express warranties or responsibility for faulty workmanship or materials.

The Contractor shall remedy any defects in the work and pay for any damage to other work resulting therefrom, which shall appear within a period of one year (1) from the date of final acceptance of the work, unless a longer period is specified by the Owner. The Owner will give final notice of observed defects with reasonable promptness.

ARTICLE 10 PROTECTION OF WORK AND PROPERTY - EMERGENCY

- a. The Contractor shall at all times safely guard the Owner's property from injury or loss in connection with this contract. He shall at all times safely guard and protect his own work, and that of adjacent property, from damage. The Contractor shall replace or make good any such damage, loss, or injury at no additional expense to the Owner.
- b. In case of an emergency which threatens loss or injury of property, and/or safety of life the Contractor will be allowed to act, without previous instructions from the Owner, in a diligent manner. He shall notify the Owner immediately thereafter. Any claim for compensation by the Contractor due to such extra work shall be promptly submitted to the Owner for approval.
- c. Where the Contractor has not taken action but has notified the Owner of an emergency threatening injury to persons or damage to the work or to any adjoining property, he shall act as instructed or authorized by the Owner.



d. The amount of reimbursement claimed by the Contractor on account of any emergency action shall be determined in the manner provided elsewhere in the contract documents.

ARTICLE 11 WEATHER CONDITIONS

In the event of temporary suspension of the work or during inclement weather, or whenever the Owner shall direct, the Contractor shall, and shall cause his subcontractors to protect carefully his and their work and materials against damage or injury from the weather. If, in the opinion of the Owner, any work or materials are damaged or injured by reason of failure to protect them on the part of the Contractor, or any of his subcontractors, or otherwise damaged or injured by the Contractor's negligence, or are found to be defective, such materials or work shall be removed and replaced at the expense of the Contractor.

ARTICLE 12 THE OWNER'S AUTHORITY

The Owner shall give all orders and directions contemplated under this contract and specifications relative to the execution of the work. The Owner shall determine the amount, quality, acceptability, and fitness of the several kinds of work and materials which are to be paid for under this contract and shall decide all questions which may arise in relation to said work and the construction thereof. The Owner's estimates and decisions shall be final and conclusive, except as herein otherwise expressly provided. In case any question shall arise between the parties hereto relative to said contract or specifications, the determination or decision of the Owner shall be a condition precedent to the right of the Contractor to receive any money or payment for work under this contract affected by such questions. The Owner shall decide 'the meaning and intent of any portion of the specifications and of any plans or drawings where the same may be found to be obscure or be in dispute. Any differences or conflicts in regard to their work which may arise between the Contractor and other contractors performing work for the Owner, shall be adjusted and determined by the Owner.

ARTICLE 13 ALL WORK SUBJECT TO CONTROL BY THE OWNER

- a. In the performance of the work, the Contractor shall abide by all orders, directions, and requirements of the Owner, and shall perform all work to the satisfaction of the Owner, and at such times and places, by such methods, and in such manner and sequence as he may require. The Owner shall determine the amounts, quality, acceptability, and fitness of all parts of the work. The Owner shall interpret the drawings, specifications, contract documents, all other documents, and the extra work orders. The Owner shall also decide all other questions in connection with the work. The Contractor shall employ no plant, equipment, materials, methods or men to which the Owner objects and shall remove no plant, materials, or equipment or other facilities from the work site without the Owner's permission. Upon request the Owner will confirm in writing any oral order, direction, requirement, or determination.
- b. Inspectors shall be authorized to inspect all work done and materials furnished. Such inspection may extend to all parts of the work and to the preparation or manufacture of the materials to be used. The presence or absence of an inspector shall not relieve the Contractor from any requirements of the contract. In case of any dispute arising between the Contractor and the inspector as to materials furnished or the manner in which the work is being executed, the inspector shall have the authority to reject material or suspend work until the question has been decided by the Owner. The inspector shall not be authorized to revoke, alter, enlarge, relax, or release any requirement of these specifications, nor to approve or accept any portion of the work, nor to issue instructions contrary to the drawings and specifications. The inspector shall in no case act as foreman or perform other duties for the Contractor, or interfere with the management of the work by the latter. Any advice which the inspector may give the Contractor shall in no way be construed as binding the Owner, or the Engineers in any way, nor releasing the Contractor from the fulfillment of the terms of the contract.



ARTICLE 14 THE OWNER'S CONTROL NOT LIMITED

The enumeration in this contract of particular instances in which the opinion, judgment, discretion, or determination of the Owner shall control or in which work shall be performed to his satisfaction or subject to his approval or inspection, shall not imply that only matters similar to those enumerated shall be so governed and performed, but without exception all the work shall be so governed and performed.

ARTICLE 15 RIGHT OF THE OWNER TO TERMINATE THE CONTRACT

In the event that any of the provisions of this contract are violated by the Contractor, or any of his subcontractors, the Owner may serve written notice upon the Contractor and the Surety of its intention to terminate the contract, such notice to contain the reasons for such intention to terminate the contract. If within ten days (10) such violation or delay shall not cease and satisfactory arrangement of correction made, the contract shall, at the expiration of the ten days, cease and immediately serve notice thereof upon the Surety and the Contractor, and the Surety shall have the power to take over and perform the contract, provided, however, that if the Surety does not commence performing thereof within ten days (10) from the date of mailing to such Surety of Notice of termination, the Owner may take over the work and prosecute the same to completion by contract or force account at the expense of the Contractor, and the Contractor and his Surety shall be liable to the Owner for any excess cost occasioned the Owner thereby.

ARTICLE 16 INTERPRETATION OF THE DRAWINGS AND SPECIFICATIONS

Except for the Contractor's executed set, all drawings and specifications are the property of the Owner. The Owner will furnish the Contractor, without charge, three (3) sets of the drawings and specifications. Additional sets will be furnished upon request, at actual cost of reproduction. Such drawings and specifications are not to be used on other work and those sets in usable condition shall be returned to the Owner upon request at the completion or cessation of the work or termination of the contract.

The Contractor shall keep one (1) copy of the drawings and specifications at the work site at all times and shall give the Owner and their representatives access thereto. Anything on the drawings and not mentioned in the specifications, or anything in the specifications that is not shown on the drawings shall have the same force and effect as if mentioned in both. In case of conflict or inconsistency between the drawings and the specifications, the specifications shall take precedence. Any discrepancy in the figures and the drawings shall be immediately submitted to the Owner for decision and the decision of the Owner shall be final. In case of differences between small and large scale drawings, the larger scale drawings shall take precedence.

ARTICLE 17 INSPECTION

The authorized representatives and agents of the Owner shall be permitted to inspect all work materials, payrolls, records of personnel, invoices for materials, and other relevant data and records.

ARTICLE 18 REPORTS, RECORDS AND DATA

The Contractor and each of his subcontractors, shall submit to the Owner such schedules of quantities, and costs, progress schedules, payrolls, reports, estimates, records, and other data as the Owner may request concerning the work Performed or to be performed under this contract.

ARTICLE 19 RIGHTS-OF-WAY AND SUSPENSION OF WORK

Land and rights-of-way for the purpose of this contract shall be furnished by the Owner to the extent shown on the drawings; the Owner will use due diligence in acquiring said lands and rights-of-way as speedily as possible.

If however, lands or rights-of-way cannot be obtained before work on the project begins, the Contractor shall begin his work upon such land or rights-of-way as have been previously acquired by the Owner, and no claims for damages whatsoever will be allowed by reason of the delay in obtaining the remaining land and rights-of-way. Should



the Owner be prevented or enjoined from proceeding with the work, or from authorizing its prosecution, either before or after the commencement by reason of litigation, or by reason of its inability to procure the lands or rights-of-way for the said work, the Contractor shall not be entitled to make or assert a claim for damages by reason of the said delay, or to withdraw from the contract except by consent of the Owner. Time for completion of work will be extended to such time as the Owner determines will compensate for the time lost by such delay, such determination to be set forth in writing.

ARTICLE 20 SUBCONTRACTORS

The Contractors may utilize the services of specialty subcontractors on those parts of the work which, under normal contracting practices, are performed by specialty subcontractors.

The Contractor shall not award work to any subcontractor other than those listed in his bid, without the prior written approval of the Owner, which approval will not be given until the Contractor submits a written statement concerning the proposed award to the subcontractor, which statement shall contain such information as the Owner may require.

The Contractor shall cause appropriate provisions to be inserted in all subcontracts relative to the work, to bind the subcontractors to the contract documents insofar as applicable to the subcontract work and to give the Contractor under any provisions of the contract documents.

Nothing contained in this contract shall create any contractual relationship between the Owner and any subcontractor.

ARTICLE 21 ASSIGNMENTS

The Contractor shall not assign the whole or any part of this contract or any monies due or to become due hereunder without the written consent of the Owner. In case the Contractor assigns all or part of any monies due or to become due under this contract, the instrument of assignment shall contain a clause substantially to the effect that it is agreed that the right of the assignee in and to any monies due or to become due to the Contractor shall be subject to prior claims of all persons, firms, or corporations for services rendered or materials supplied for the performance of the work called for in this contract.

ARTICLE 22 MUTUAL RESPONSIBILITY OF CONTRACTORS

If, through acts of neglect on the part of the Contractor, any other contractor or any subcontractor shall suffer loss or damage to the work, the Contractor agrees to settle with such other contractor or subcontractor by agreement or arbitration. If such other contractor or subcontractor shall assert any claim against the Owner on account of any damage alleged to have been sustained, the Owner shall notify the Contractor who shall indemnify and save harmless the Owner against any such claim.

ARTICLE 23 SEPARATE CONTRACTS

The Owner reserves the right to let other contracts in connection with the construction of the contemplated work of the project, or contiguous projects of the Owner. The Contractor, therefore, will afford to any such other contractors reasonable opportunity for the introduction and storage of their materials and the execution of their work, will properly connect and coordinate his work with theirs, and will not commit or permit any act which will interfere with the performance of their work.

The Contractor shall coordinate his operations with those of other contractors. Cooperation will be required in the arrangement for storage of materials and in the detailed execution of the work. Failure by the Contractor to keep informed on the progress of the work, or failure to give notice of the lack of progress or defective workmanship by others, shall be construed as acceptance by him of the status of the work as being satisfactory for proper coordination with and performance of his own work.



ARTICLE 24 SAFETY AND HEALTH REGULATIONS

These contract documents, and the joint and several phases of construction hereby contemplated, are to be governed, at all times, by the applicable provisions of the Federal law(s) including but not limited to the following:

- 1. Williams-Steiger Occupational Safety and Health Act, 1970, Public Law 92-596;
- 2. Part 1910 of the Occupational Safety and Health Standards, Chapter XVII of Title 29, Code of Federal Regulations.
- 3. This project is subject to all of the Safety and Health Regulations (CFR 29, Part 1926 and all subsequent amendments) as promulgated by the U.S. Department of Labor on June 24, 1974.

In the event of any inconsistencies between the above laws and regulations and the provisions of these contract documents, the laws and regulations shall prevail.

ARTICLE 25 MATERIALS, SERVICES AND FACILITIES

It is understood that, except as otherwise specifically stated in the contract documents, the Contractor shall provide and pay for all materials, labor, tools, equipment, water, light, power, transportation, superintendence, temporary construction of every nature, and all other services and facilities of every nature whatsoever, necessary to protect, execute, complete, and deliver the work within the specified time.

It is necessary for some work to be performed after regular hours, on Saturdays, Sundays, or legal holidays as designated by the Owner. Any work necessary to be performed after regular hours, on Saturdays, Sundays, or legal holidays shall be performed by the Contractor without additional expense to the Owner.

ARTICLE 26 CONTRACTOR'S TITLE TO MATERIALS

No material, supplies, or equipment for the work shall be purchased by the Contractor or any subcontractor, subject to any chattel mortgage or under a conditional sale or other agreement by which an interest therein or in any part thereof is retained by the seller or supplier. The Contractor warrants good title to all material, supplies, and equipment installed or incorporated in the work and further warrants upon completion of all work, to deliver the premises, together with all improvements and appurtenances constructed or placed thereon by him, to the Owner free from any claims, liens, or charges, or encumbrances and further agrees that neither he nor any person, firm, or corporation furnishing any material or labor for any work covered by this contract shall have the right to a lien upon the premises or any improvement or appurtenance thereon.

ARTICLE 27 INSPECTION AND TESTING OF MATERIALS

All materials and equipment used in the construction of the project shall be new and of current manufacture. Testing will be done in accordance with accepted standards and as directed by the Owner; the laboratory or inspection agency shall be selected by the Owner. Except as specified elsewhere in these specifications, the Owner will pay for laboratory inspection.

All materials and workmanship shall be subject to inspection, examination, and testing by the Owner at any and all times during manufacture and/or construction and at any and all places where such manufacture and or construction is carried on, to establish conformance with these specifications and suitability for uses intended. Without additional charge the Contractor shall furnish promptly all reasonable facilities, labor, and materials necessary to make tests so required safe and convenient; he shall also furnish any mill, factory, or other such tests based on the Standards and Tentative Standards of the American Society for Testing Materials as required by the Owner.



ARTICLE 28 CONTRACTOR'S BOND AND INSURANCE

Each Bidder must be able to enter into contract, covering the work, within 10 days from the acceptance of his proposal.

The successful bidder' must, within 10 days from the date of acceptance of his proposal, furnish and file with the Owner, a corporate performance bond and payment bond or equivalent security, guaranteeing, completion of the job in accordance with the proposal. This bond or equivalent security shall be for 100% of the amount of the contract. The cost of a bond is to be figured as part of the cost of the job. The Surety Company must be one licensed to do business in the State of Connecticut, from securities listed on the most recent IRS Circular 570 and must be satisfactory to the Owner.

The successful bidder must, within 10 days from the date of acceptance of his proposal, file with the Owner, Workmen's Compensation, Comprehensive General Liability, Comprehensive Auto Liability, Certificates of Insurance satisfactory to the Owner, in compliance with the law, and in the following form and amount:

Project Insurance Requirements

Contractor/Vendor will agree to maintain in force at all times during which work/services are to be performed, the following minimum limits of insurance coverage. The insurance company(ies) must be licensed with the State of Connecticut and have a Financial Strength Rating of "A-" or higher and a Financial Size Rating of VIII or higher from A.M. Best Company. The limits of liability for insurance required by Paragraph 5.04 of the General Conditions shall provide coverage for not less than the following amounts or greater where required by Laws and Regulations.

CLA Engineers, Inc. and the Town of Montville shall be listed as additional insured as outlined in the following requirements.

If subcontractors are employed, same limits as named above shall apply and the certificate of insurance must be filed with the Owner.

Contractors shall observe and comply with all Federal, State and local laws, ordinances and regulations. Contractors shall indemnify and save harmless the Town, all of its officers, agents and servants against any claim or liability arising from or based on the violation of any such law, ordinance, regulation or negligence whether by the bidder, his employees, his consultant and/or their employees.

Insurance Requirements - Bridge Street Bridge Deck Replacement

Contractor shall agree to maintain in force at all times during the contract the following minimum coverages and shall name Town of Montville as an Additional Insured on a primary and non-contributory basis to all policies, except Workers Compensation. All policies should also include a Waiver of Subrogation.

Insurance shall be written with Carriers approved in the State of Connecticut and with a minimum AM Best's Rating of "A-" VIII. In addition, all Carriers are subject to approval by Town of Montville.

		(Minimum Limits)
General Liability	Each Occurrence	\$1,000,000
	General Aggregate	\$2,000,000
	Products/Completed Operations Aggregate	\$2,000,000
Auto (Any Auto Incl Hired/Non-	Combined Single Limit	\$1,000,000
Owned)	Comomea Single Emit	Ψ1,000,000



Excess Liability	Each Occurrence	\$1,000,000
	Aggregate	\$1,000,000

Professional Liability	Each Claim	\$1,000,000

Aggregate \$1,000,000

If any policy is written on a "Claims Made" basis, the policy must be continually renewed for a minimum of two (2) years from the completion date of this contract. If the policy is replaced and/or the retroactive date is changed, then the expiring policy must be endorsed to extend the reporting period for claims for the policy in effect during the contract for two (2) years from the completion date.

Workers' Compensation and	WC Statutory Limits	
Employers' Liability	EL Each Accident	\$1,000,000
	EL Disease Each Employee	\$1,000,000
	EL Disease Policy Limit	\$1,000,000

Original, completed Certificates of Insurance must be presented to Town of Montville & Montville Board of Education prior to contract issuance. Contractor agrees to provide replacement/renewal certificates at least 60 days prior to the expiration date of the policies. Should any of the above-described policies be cancelled, limits reduced, or coverage altered, 60 days written notice must be given to Town of Montville.

No contract shall be binding upon the Owner until such bond shall have been given and until Comprehensive General Liability, Comprehensive General Auto Liability and Workmen's Compensation policy certificates indicated-above have 'been filed with the Owner and approved as to form and sufficiency by the Owner. The insurance policy certificate provided by the successful bidder and all subcontractors-shall carry a statement by the insurance company that the Owner will receive at least ten (10) days notice prior to cancellation of any portion of the policies or any modifications in the insurance coverage that may affect the Owner's interest. The cost of all insurance coverage shall be included in the price of the contract cost.

The insurance company must be licensed to do business in the State of Connecticut and must be satisfactory to the Owner. THE OWNER MUST BE NAMED AS ADDITIONAL INSURED.

ARTICLE 29 REPRESENTATIONS OF CONTRACTOR

The Contractor represents and warrants that he is financially solvent and that he is experienced and competent to perform the type of work outlined in the specifications and drawings and that he has carefully examined the drawings and specifications along with addendum (or addenda), if any, and the site of the work, and that from his own investigations, he has satisfied himself as to the nature and location of the work, the character,-quality and quantity of surface and sub-surface materials likely to be encountered, the character of equipment and other facilities needed for the performance of the work, the general and local conditions and all other materials which may in any way affect the work or its performance and that he is aware of the hazards involved in the work and the danger to life and property both evident and inherent and that he will conduct the work in a careful and safe manner without injury to persons or property. He further warrants that any injury to persons or property resulting from the work shall be the sole responsibility of the Contractor.



ARTICLE 30 INDEMNITY OF OWNER BY CONTRACTOR

The Contractor shall <u>indemnify</u> and <u>save harmless</u> the Owner against any and all damages to property or injuries to or death of any person or persons, including property and employees or agents of the Owner, and shall defend, indemnify and save harmless the Owner from any and all claims, demands, suits, actions or proceedings of any kind or nature including workmen's compensation claims, of or by anyone whomsoever, in any way resulting from or arising out of the operations in connection herewith, including operations of subcontractors and acts or omissions of employees or agents of Contractor or his subcontractors. Insurance coverage specified herein and in any special conditions constitutes the minimum requirements and said requirements shall in no way lessen or limit the liability of Contractor under the terms of the contract. The Contractor shall procure and maintain, at his own cost and expense, any additional kinds and amounts of insurance which, in his own judgment, may be necessary for his proper protection in the prosecution of the work. The Contractor agrees to well and truly save and indemnify and keep harmless, the Owner against all liability, judgments, costs and expenses which may in any wise come against the Owner or which may in any wise result from carelessness, omission or neglect of the Contractor or his agents, employees or workmen in any way arising or resulting from the operation in connection herewith, including all liability to the Owner resulting from the failure to erect or maintain sufficient railing or fence as required by Section 13a111, Connecticut General Statutes, and against all liability from defects claimed to be in violation of Section 13a-149, Connecticut General Statutes. Any additional cost of this save harmless insurance coverage shall be included in the price of the contract.

ARTICLE 31 TERMINATION FOR CONVENIENCE

The Owner hereby reserves the right to terminate the performance of this contract for any reason the Owner deems appropriate. The Owner will pay all actual costs to date of termination, however, the Contractor shall not be entitled to any profit on furnished or unearned work.

ARTICLE 32 COMPETENT HELP TO BE EMPLOYED

The Contractor shall employ experienced foreman, craftsmen and other workmen competent in the work in which they are to be engaged. All work shall be accomplished by able, skilled and competent personnel. If any person employed on the work by the Contractor shall appear to be incompetent or unreliable in any way, he shall be discharged immediately upon the request of the Owner and shall not -again be employed on the work.

ARTICLE 33 SPIRITUOUS LIQUORS AND DRUGS

The Contractor shall neither permit nor suffer the introduction or use of -spirituous liquors upon the work embraced in this contract. Dope or drugs of any kind unless ordered by a physician are prohibited. Any employee found using spirituous liquors, dope or drugs of any kind unless ordered by a physician shall be immediately discharged.

ARTICLE 34 PROHIBITING EMPLOYEE DISCRIMINATION BY CONTRACTOR

The Contractor agrees and warrants that in the performance of this contract he will not discriminate or permit discrimination against any person or group of persons on the grounds of race, color, religion, national origin, sex, or physical disability, including, but not limited to, blindness, unless it is shown by such Contractor that such disability prevents performance of the work involved in any manner prohibited by the laws of the United States or of the State of Connecticut, and further agrees to provide the commission on human rights and opportunities with such information requested by the commission concerning the employment practices and procedures of the Contractor as relate to the provisions of this section.

ARTICLE 35 CLAIMS FOR EXTRA WORK

After the contract has been signed, no claims for extra work will be honored. unless authorized in writing by the Owner.



ARTICLE 36 WORK CHANGES

The Owner may make changes in the scope of the work required to be performed by the Contractor under the Contract by making additions thereto, or by omitting work therefrom, without invalidating the Contract, and without relieving or releasing the Contractor from any of his obligations under the Contract or any guarantee given by him pursuant to the Contract provisions, and without affecting the validity of the guaranty bonds, and without relieving or releasing the surety or sureties of said bonds. All such work shall be executed under the terms of the original Contract unless it is expressly provided otherwise.

Except for the purpose of affording protection against any emergency endangering life or property, the Contractor shall make no change in the materials used or in the specified manner of constructing and/or installing the improvements or supply additional labor, services or materials beyond that actually required for the execution of the Contract, unless in pursuance of a written order from the owner authorizing the Contractor to proceed with the change. No claim for an adjustment of the Contract price will be valid unless so ordered. Upon request the Contractor shall supply the Owner with a detailed proposal for the changes showing quantities of, and unit prices for his work and that of any subcontractor involved. No such change order shall be considered, however, unless approved by the Owner and their duly authorized representatives prior to its issuance. Upon receipt of the written order the Contractor shall proceed with the work as and when directed. The amount of compensation to be paid to the Contract for extra or additional work so ordered shall be determined as follows:

- (1) By such applicable Unit Price, if any, as set forth in the Agreement, or
- (2) If no such Unit Prices are so set forth, or if the total net change increases or decreases the total Contract price more than 25 percent (25%) then by a Lump Sum mutually agreed upon by the Owner and the Contractor, and establish as follows:

For work to be performed under a Lump Sum agreement the Contractor may apply a 15% allowance for overhead and profit against the net cost of work actually to be performed by him except that in the event the change in work to be performed by him results in a net omission then no percentage for overhead and profit shall be allowed.

The Contractor is permitted a 5% allowance to be applied against the net cost to a subcontractor for work actually performed by the subcontractor, but on any change involving more than one subcontractor, their net costs and/or net omission shall be combined as one before consideration is given to the application of the 5% for the Contractor's overhead and profit, and, in the event the Contractor shows a net omission for the changes as it affects the work actually to be performed by him, he is permitted only the 5% applied to the amount (if any) by which the net cost to the subcontractor exceeds the net omission by the Contractor.

For work to be performed by a subcontractor the cost to the Owner may include the net cost to the subcontractor plus an allowance of an amount not to exceed 15% of the net cost for the subcontractor's overhead and profit, except that in the event that the change in work results in a net omission for the subcontractor there shall be no application of the 15% overhead and profit.

Net cost to the Contractor and/or subcontractor shall be that defined in sub-section (3) of this article, but in every case taxes imposed by law upon labor employed at the site shall be excluded; and all credits (which in the case of the Contractor shall include net omissions by the subcontractor) shall be deducted before the percentage can be applied.

For the purposes of applying the provisions of the article, the Owner will not recognize other than a direct subcontractor of the Contractor nor permit the aggregate allowance to exceed 20% as applied above, to the net cost of work performed by any subcontractor.

(3) If no such unit prices are set forth and if the parties cannot agree upon a lump sum, then <u>the Owner</u> may at his option <u>either</u>: 1) order the work to be done and compensated for in the following manner: by the actual net cost in money to the Contractor of the materials, the wages of applied labor, insurance, taxes imposed by law on labor employed on the work, plus such rental for equipment (other than tools)



required and approved for such additional work. After excluding taxes imposed by law upon labor employed on the work, the Contractor shall receive 15% of the actual net cost outlined above as compensation for all other items of profit and costs or expenses including administration, overhead, superintendent, materials used in temporary structures, allowances (including provision for overhead and profit) made by the Contractor to subcontractors, additional premiums upon performance bond of the Contractor and the use of small tools; or (2) the Owner may order that item or portion of work omitted without invalidating any of the terms thereof, and there shall be deducted from the contract price the value as estimated by the Engineer of the labor and material omitted from the contract, if any be omitted.

ARTICLE 37 OWNER'S RIGHT TO DO WORK

If the Contractor should neglect to prosecute the work properly or fail to perform any provision of this contract, the Owner, after five (5) days written notice to the Contractor may, without prejudice to any other remedy he may have, make good such deficiencies and may deduct the cost thereof from the payment, then or thereafter due the Contractor.

ARTICLE 38 PAYMENTS

Payment for the work will be made when the work outlined in the specifications is completed or in accordance with the terms stated herein. Invoices shall be prepared in prescribed form by the Contractor and shall be submitted to the Owner's Superintendent in triplicate for checking and certifications.

No payment or compensation of any kind shall be made to the Contractor for damages because of hindrance or delay from any cause in the progress of work. whether such hindrance or delays be avoidable or unavoidable.

ARTICLE 39 PAYMENT TO SUB-CONTRACTOR

The Owner assumes no obligation to pay to or to see to the payment of any sum to any sub-contractor.

ARTICLE 40 WORK IN INCLEMENT WEATHER

The Owner or the Owner's Superintendent will determine when conditions are unfavorable for work and may order the work or any portion of it suspended whenever, in his opinion the conditions are not such as will insure first class work. In general, work shall be prosecuted throughout the year and the Contractor will be expected to keep work going and employment of labor as continuous as possible. However, the Contractor shall, and shall cause his subcontractors to protect carefully his and their work against damage or injury from the weather. If this is not done to the Owner's satisfaction and any damage to the work occurs, the work shall be removed and replaced at the expense of the Contractor.

ARTICLE 41 POWER AND WATER

Should the Contractor require electric power and/or water, he shall make necessary arrangements with the Owner for securing it and bear any expense involved, unless expressly provided for otherwise in the specifications.

ARTICLE 42 TOILET ACCOMMODATIONS

The Contractor shall provide necessary sanitary toilet accommodations for the workmen.

ARTICLE 43 LIENS

The final payment for the work will not be made until the Owner is satisfied that no liens have, or can be placed for material or labor on this work. If required by the Owner, waivers of liens may be required. If the Contractor, or any subcontractor refuses to furnish a release or waiver of liens, they may furnish a bond satisfactory to the Owner to indemnify the Owner against any liens.



ARTICLE 44 PROGRESS PAYMENTS

The CONTRACTOR may submit periodically, but not more than once each month, a Request for Payment for work done. The CONTRACTOR shall furnish the OWNER all reasonable facilities required for obtaining the necessary information relative to the progress and execution of the work.

Within fifteen (15) days of submission of any Request for Payment by the CONTRACTOR, the OWNER shall:

- a. Approve the Request for Payment as submitted, or
- b. Approve such other amount as he shall decide is due the CONTRACTOR, informing and CONTRACTOR in writing of his reasons for approving the amended amount, or
- c. Withhold the Request for Payment, informing the CONTRACTOR in writing of his reasons for withholding it.

Within thirty (30) days from the date of approval of the Request for Payment the OWNER will:

- a. Pay the Request for Payment as approved less a five percent (5%) retainage, until substantial completion of the project, at which time the retainage will be reduced to two percent (2%) until final completion.
- b. Withhold payment in whole or in part on an approved Request for Payment to the extent necessary to protect himself from loss on account of any of the following causes discovered provided he informs the CONTRACTOR in writing of his reasons for withholding payment in whole or in part:
 - 1. Defective work.
 - 2. Evidence indicating the probable filing of claims by other parties against the CONTRACTOR.
 - 3. Failure of the CONTRACTOR to make payments to Subcontractors, material suppliers or labor.
 - 4. Damage to another Contractor.

ARTICLE 45 GENERAL GUARANTEE

The Contractor shall guarantee his work for a period of one (1) year after the date of the Owner's Superintendent's final inspection and acceptance as evidenced by final payment. he shall during that period repair promptly, at his own cost and expense all breaks, failures or defects which develop in his work as a result of faulty material or workmanship. The performance bond shall remain in effect through the guarantee period.

ARTICLE 46 FINAL INSPECTION AND ACCEPTANCE

Upon receipt of written notice from the Contractor that his work is complete, the Owner's Superintendent will make a final inspection and will notify the Contractor of all instances in which the work fails to comply with the specifications as well as any defects which he may discover. The Contractor shall thereupon immediately rebuild, alter and restore the work so that it will comply with the specifications and he shall remedy any defects at his own cost and expense and to the satisfaction of the Owner's Superintendent. Upon the completion of such alterations or repairs the Owner's Superintendent will issue his certificate of final acceptance of work. The issuance of such certificate of final acceptance by the Owner's Superintendent shall not prevent the Owner from recovering damages at any subsequent time for work found to be actually defective.



ARTICLE 47 FINAL PAYMENT

The acceptance by the Contractor of payment for the final invoice, made after the Owner's Superintendent's certification of final acceptance as provided for in these General Conditions, shall release the Owner and every agent of the Owner from all further claims or liabilities to the Contractor of whatever nature, except for the remaining sum or sums of money withheld under the provisions of the contract.

ARTICLE 48 CORRECTION OF FAULTY WORK AFTER FINAL PAYMENT

The approval of the final Request for Payment by the Owner and the making of the final payment by the Owner to the Contractor shall NOT relieve and Contractor of the responsibility for faulty materials or workmanship. The Owner shall promptly give notice to faulty materials or workmanship and the Contractor shall promptly replace any such defects discovered within two years from the date of written acceptance of the work. The Owner shall decide all questions arising under this paragraph.

ARTICLE 49 USE OF "HE", "HIS" OR "HIM"

Whenever in these specifications the masculine words, "he", "his", or "him" are used pertaining to the Contractor, Owner, Engineer or any other entity or person it shall be for brevity, and in no way is any sexual discrimination intended.

VI. SPECIAL CONDITIONS

ARTICLE 1 GENERAL

- (a) The Owner and the Contractor agree that the following special conditions shall apply to the work to be performed under this Contract and that such provisions shall supersede any conflicting provisions of this Contract.
- (b) The rights and remedies of the Owner provided for in these clauses are in addition to any other rights and remedies provided by law and under this Contract.

ARTICLE 2 CONTRACTOR TO CHECK DIMENSIONS AND SCHEDULES

The Contractor will be required to check all dimensions and quantities shown on the drawings or schedules given to him by the Owner, and shall notify the Owner of all errors therein which he may discover by examining and checking the same. The Contractor shall not take advantage of any error or omissions in these specifications, drawings, or schedules. The Owner will furnish all instructions should such error or omissions be discovered, and the Contractor shall carry out such instructions as if originally specified.

ARTICLE 3 PROTECTION OF TREES

The Contractor shall take special care to preserve and protect from injury all trees located along the lines of construction, and no such trees shall be cut down, trimmed, or otherwise cut without permission from the Owner.

ARTICLE 4 SEQUENCE OF THE WORK

The Contractor shall be required to prosecute his work in accordance with a schedule prepared by him in advance, in accordance with additional requirements specified herein and approved by the Owner. This scheduling shall state the methods and shall forecast the times of doing each portion of the work. Before beginning any portion of the work, the Contractor shall give the Owner advance notice and ample time for making necessary preparation.

ARTICLE 5 STREETS AND SIDEWALKS TO BE KEPT OPEN

The Contractor shall at all times keep the streets and highways in which he may be working open for pedestrian and vehicular traffic. If in the opinion of the Owner, the interest of abutters and the public requires it, the Contractor shall bridge or construct planking across trenches at street crossings and roads or private ways. The Contractor shall conduct his work in such a manner as the Owner may direct from time to time. No sidewalk shall be obstructed where it is possible to avoid it.

The Contractor shall provide all necessary fire crossings at principal intersections or ways usually traveled by fire apparatus with provisions for the apparatus so it can travel along the line of the pipe installations.

ARTICLE 6 LIGHTS, BARRIERS, WATCHMEN, AND INDEMNITY

The Contractor shall erect and maintain such barriers, lighting, warning lights, danger warning signals, and signs that will prevent accidents during the construction work and protect the work and insure the safety of personnel and the public at all times and places; the Contractor shall indemnify and protect the Owner and the Engineer in every respect from injury or damage whatsoever caused by any act of neglect by the contractor or his subcontractors, or their servants or agents, including any claims arising out of failure to erect and maintain sufficient railing or fence as required by Section 13A-111 Connecticut General Statutes from claims or defect in violation of 12A-14q Connecticut General Statutes.

The fact that the Department of Public Works may retain control of the premises, or that it or its agents may take action to erect or maintain railings or fences shall not relieve the Contractor's obligations hereunder.



In addition to the above, when and as necessary, or when required by the Owner, the Contractor shall post sign and employ watchmen or flagmen for the direction of traffic at the site and for excluding at all times unauthorized persons from the work site.

The Contractor shall be responsible for excluding at all times from the land within the easement areas, all persons not directly connected with the work.

ARTICLE 7 NIGHTWORK

Nightwork, or work on Saturdays, Sundays, or legal holidays requiring the presence of an engineer or inspector, will not be permitted except as designated by the Owner in case of an emergency. Should it be necessary for the Owner to operate an organization for continuous nightwork or for emergency nightwork, the lighting, safety and other facilities which are deemed necessary shall be provided by the Contractor. Compensation for this work shall be considered as having been included in the prices stipulated for the appropriate items of work as listed in the bid, and no extra compensation will be paid by the Owner.

ARTICLE 8 BUS LINE INTERFERENCE

Whenever it may be necessary to interfere with any bus lines, notice shall be given to the corporation owning the same, and reasonable time will be given to said corporation to arrange the schedule for operation of the bus line, as it may be necessary.

ARTICLE 9 DIFFERING SITE CONDITIONS

- (a) The Contractor shall promptly and before such conditions are disturbed, notify the Owner in writing of: (1) sub-surface or latent physical conditions at the site differing materially from those indicated in this contract, or (2) unknown physical conditions at the site, of an unusual nature, differing materially from those ordinarily encountered and generally recognized as inhering in work of the character provided for in this contract. The Owner shall promptly investigate the conditions, and if he finds that such conditions do materially so differ and cause an increase or decrease in the Contractor's cost of, or the time required for, performance of any part of the work under this contract, whether or not changed as a result of such conditions, an equitable adjustment shall be made and the contract modified in writing accordingly.
- (b) No claim of the Contractor under this clause shall be allowed unless the Contractor has given the notice required in (a) above; provided, however, the time prescribed therefore may be extended by the Owner.
- (c) No claim by the Contractor for an equitable adjustment hereunder shall be allowed if asserted after final payment under this contract.

ARTICLE 10 DISPOSAL OF MATERIALS

The materials used in the construction of the work, shall be disposed away from the site in such manner so that will not endanger persons or the work, and so that free access may be had at any time to all hydrants and gates in the vicinity of the work. The materials shall be kept trimmed up so that as little inconvenience as possible to the public or adjoining tenants is caused.

ARTICLE 11 LENGTH OF TRENCH TO BE OPENED

The length of trench opened at any time from the point where ground is being broken to complete backfill and also the amount of space in the streets or public and private lands occupied by equipment or supplies, shall not exceed the length or space considered reasonably necessary and expedient by the Owner. In determining the length of the open trench or spaces for equipment, material, and supplies and other necessities, the Owner will consider the nature of the lands or streets where work is being done, types and methods of construction and equipment being used, inconvenience



to the public or to private parties, possible dangers and other matters. All work must be constructed with a minimum of inconvenience and danger to all parties concerned.

Whenever the trench obstructs pedestrians and vehicular traffic, or any public or private property, the Contractor shall take such means as is necessary to maintain such traffic and access. Until such time as the work may have attained sufficient strength to support backfill, or if for any reason it is not expedient to backfill the trench immediately, the Contractor shall construct and maintain suitable plank crossings and bridge crossings to carry essential traffic in or to the street or property in question, as specified or directed.

Suitable lights, signs, and such required items to direct traffic shall be furnished and maintained by the Contractor.

The Contractor shall keep streets free from obstructions, debris, and all other materials. The Owner may, at any time, order the removal of any such material from the work area - and should the Contractor fail to do so within 24 hours after such notice of removal of the same, the Owner may cause the material, debris, or other matter to be removed by some other such persons as he may employ, at the Contractor's expense. The cost thereof may be deducted from any payments due the Contractor under this contract. In special cases where public safety demands, the Owner may remove such materials without prior notice.

ARTICLE 12 INTERFERENCE WITH EXISTING STRUCTURES

Whenever it may be necessary to cross or interfere with existing culverts, drains, sewers, water pipes, fixtures, guardrails, fences, gas pipes, or other structures needing special care, due notice shall be given to the Owner, and the work shall be done according to his directions. Whenever required, all-objects shall be strengthened to meet any additional stress that the work herein specified may impose upon it, and any damage caused shall be thoroughly repaired. If so directed by the Owner, the location of any existing structure shall be changed to meet the requirements of the new work.

The Contractor shall be responsible for all broken mains or utilities encountered during the progress of the work and shall repair and be responsible for correcting all damages to the Owner. The Contractor shall contact the proper utility or authority to correct or make any changes due to utilities or other obstructions during the Project but the entire responsibility and expense shall be with the Contractor.

All damaged items of work or items required to be removed and replaced due to construction shall be replaced or repaired by the Contractor to the complete satisfaction of the property Owner and/or the Owner, and at no additional expense to the Owner.

ARTICLE 13 FINISHING AND CLEANING UP

In completing his operations, the Contractor shall immediately remove all surplus material, tools, and other property belonging to him, leaving the entire street or surroundings free and clean and in good order, at no additional expense to the Owner. The Contractor shall exercise special care in keeping the rights-of-way and private lands upon which work is performed free and clean of all debris, and shall remove all tools and other property when they are not in use.

ARTICLE 14 CLEAN UP AT THE CONTRACTOR'S EXPENSE

In case the Contractor fails or neglects to promptly remove all surplus materials, tools, and incidentals after backfilling, leaving the street or surrounding area clean and free of debris, and do the required repaving when ordered, the Owner may, after 24 hours notice, cause the work to be done and the cost thereof deducted from any payment due to the Contractor.



ARTICLE 15 RIGHTS OF ACCESS

Nothing herein contained or shown on the drawings shall be construed as giving the Contractor exclusive occupancy of the work area. The Owner or any other contractors employed by him, the various utility companies, - contractors or subcontractors employed by State or Federal agencies, or any other agencies involved in the general- project or upon public rights-of-way, may enter upon or cross the area of work or occupy portions of the area as is directed or necessary. When the territory of one contract is the convenient means of access to the other, the Contractor shall arrange his work in such a manner as to permit such access to the other and prevent unnecessary delay to the work as a whole.

ARTICLE 16 EXISTING UTILITIES OR CONNECTIONS

The location of existing underground pipes, conduits, and structures as shown has been collected from the best available sources and the Owner together with his agents, does not imply or guarantee the data and information in connection with underground pipes, conduits, structures, and such other parts, as to their completeness, nor their locations as indicated. The contractor shall assume that there are existing water, gas, and other utility connections to each and every building enroute, whether they appear on the drawings or not. Any expense and/or delay occasioned by utilities and structures or damage thereto, including those not shown, shall be the responsibility of the Contractor, at no additional expense to the Owner.

Before proceeding with construction operations, the Contractor shall make such supplemental investigations, including exploratory excavations by hand digging, as he deems necessary to uncover and determine the exact locations of utilities and structures and shall have no claims for damages due to encountering subsurface structures or utilities in locations other than those shown on the drawings, or which are made known to the Contractor prior to construction operations. The Contractor shall be responsible and liable for all damages to existing utilities and structures.

ARTICLE 17 PLANK CROSSINGS

As required or directed by the Owner, the Contractor shall install in selected locations suitable plank crossings, substantially built and reinforced to sustain vehicular traffic across excavations. No separate payment will be made for this work, the cost of which shall be included in the prices stipulated for the appropriate items in the work as listed in the bid.

ARTICLE 18 CLEANING FINISHED WORK

After the work is completed, the pipes, manholes, and structures shall be carefully cleaned free of debris and dirt, broken masonry, and mortar, and left in first class condition, ready to use. All temporary or excess materials shall be dispose of off-site and the work left broom clean, to the satisfaction of the Owner.

ARTICLE 19 DUST CONTROL

The Contractor shall exercise every precaution and means to prevent and control dust arising out of all construction operations from becoming a nuisance to abutting property owners or surrounding neighborhoods. Pavements adjoining the pipe trench shall be kept' broomed off and washed clean of excess materials wherever and whenever directed. Repeated daily dust control treatment shall be provided to satisfactorily prevent the spread of dust until permanent pavement repairs are made and until earth stockpiles have been removed, and all construction operations that might cause dust have been completed. No extra payment will be made for dust control measures, compensation shall be considered to be included in the prices stipulated for the appropriate items as listed in the bid.



ARTICLE 20 FIRE PREVENTION AND PROTECTION

All State and municipal rules and regulations with respect to fire prevention, fire-resistant construction, and 'fire protection shall be strictly adhered to and all work and facilities necessary therefor shall be provided and maintained by the Contractor in an approved manner.

All fire protection equipment such as water tanks, hoses, pumps, extinguishers, and other materials, and apparatus, shall be provided for the protection of the contract work, temporary work, and adjacent property. Trained personnel experienced in the operation of all fire protection equipment and apparatus shall be available on the site whenever work is in progress, and at such other times as may be necessary for the safety of the public and the work.

ARTICLE 21 WORK BY OTHERS

The Owner reserves the right to do any other work which may be connected with, or become a part of, or be adjacent to the work embraced by this contract, at any time, by contract or otherwise. The Contractor shall not interfere with the work of such others as the Owner may employ, and shall execute his own work in such a manner as to aid in the execution of the work of others as may be required. No backfilling of trenches or excavations will be permitted until such work by the Owner is completed.

ARTICLE 22 FIRE AND POLICE NOTIFICATION

If it becomes necessary at any time to temporarily barricade a street or cause detours to be put up, or rerouting of traffic, the Fire and Police Departments, SEAT, Board of Education, and American Ambulance shall be notified by the Contractor, and their consent obtained before any such action is initiated.

ARTICLE 23 TEMPORARY POWER

The Contractor shall make all the necessary arrangements with the power company for providing temporary electric power for his use. All unauthorized sources of power, such as from neighboring homes, shall be prohibited.

ARTICLE 24 FAILURE TO REPAIR

Any emergency rising from the interruption of electric, gas, water, telephone, sewer and cable service due to the activities of the Contractor, shall be repaired by the Contractor as quickly as is possible.

If and when, in the opinion of the Owner, the Contractor is not initiating repair work as expeditiously as possible upon notification to do so, the Owner may, at his own option, make the necessary repairs using his own forces or those of others. The cost of such repairs shall be subtracted from the payments due to the Contractor.

ARTICLE 25 TRAFFIC CONTROL

- A. The Contractor shall schedule and perform his work so as to cause minimum interference to traffic and to safeguard all highways and traffic therein, and to cause absolutely no interference to fire and emergency vehicles. Construction equipment and materials shall be located as to not endanger the work or obstruct traffic.
- B. Every reasonable means shall be made to reduce, to a minimum, interference with and inconvenience to business concerns on account of the construction work.
- C. The Contractor shall provide and maintain all signs, barricades, and traffic control equipment that may be required for the satisfactory performance of providing traffic control.



ARTICLE 26 CONTRACTOR TO LAY OUT HIS OWN WORK

The Owner will establish such general reference points as in his judgment will enable the Contractor to proceed with the work. The Contractor, at his own expense, shall provide all materials and equipment and such qualified helpers as the Owner may require for setting the general reference points and shall protect and preserve all stakes, benches, and other markers used to identify the reference points. The Contractor shall lay out all the Contract work from the above and shall be responsible for the accuracy of all lines, grades, and measurements. He will be required to employ at no extra expense to the Owner, a Connecticut registered land surveyor or registered professional engineer who shall perform all layout work for the construction of the Contract work, including all lines, grades, and measurements.

ARTICLE 27 - COOPERATION WITH UTILITIES

The Contractor shall coordinate his operations with the Owners of all underground or overhead utility lines within the project area.

The Contractor shall be liable for all damages or claims received or sustained by any persons, corporations or property in consequence of damage to the existing utilities, their appurtenances, or other facilities caused directly or indirectly by the operations of the Contractor.

ARTICLE 28 - BLASTING

Blasting shall be prohibited.

ARTICLE 29 - EMERGENCY TELEPHONE NUMBER

The CONTRACTOR is required to provide the OWNER with a telephone number which can be used during emergencies, 24 hours per day, seven days per week, to reach the CONTRACTOR.



VII.TECHNICAL SPECIFICATIONS

SECTION 1.00 GENERAL REQUIREMENTS

1.01 SUMMARY OF WORK

1.01.1 Description:

Work under this contract includes supplying all material, equipment and labor incidental thereto to perform the work outlined on the project plans and generally includes the following:

- A. Provide maintenance and protection of traffic as needed.
- B. Install and maintain erosion & sedimentation controls.
- C. Perform fine milling of the existing roadway. Remove and legally dispose of excess materials.
- D. Repave the roadway with bituminous concrete to the thickness specified.
- E. Saw cut and repave existing driveway aprons as required.
- F. Restore all disturbed surfaces.

The contractor shall purchase, provide, and install all materials (temporary and permanent) and equipment necessary to complete the work specified in Contract Documents.

The entire work provided for in these technical specifications and on the Drawings shall be constructed and finished in every respect in a good workmanlike and substantial manner. It is not intended that the Drawings shall show every detail piece of material or equipment, but such parts and pieces as may be in accordance with the best practices and regulatory requirements, even though not shown, shall be furnished and installed. All materials and equipment shall be new unless specifically stated otherwise in these Contract Documents.

1.01.2 Location of Site:

The work site for this contract lies along *Gutterman Road in Montville*, *Connecticut* as shown on the Contract Drawings.

1.01.3 Work Sequence

Work shall be sequenced so as to allow for uninterrupted flow or use of existing utilities, unless otherwise depicted on the plans. The contractor shall conform to the sequences of work as outlined in the Construction Drawings and Specifications. Variations or modifications to the work sequences shall be submitted in writing to the Engineer prior to construction, for their approval.

The contractor shall coordinate work with Owner as outlined in the Construction Drawings and Specifications, where appropriate, or as required by the Owner.



All costs associated with sequencing of work and coordination shall be included in the bid prices for other items.

The Construction schedule shall be based on the specified completion time. The Construction Schedule shall be based on the specified completion time. The Construction Schedule shall show the order of work including such significant tasks as construction of lines, connections, backfill and compaction, leakage tests, temporary and permanent restoration. The Construction Schedule shall be submitted for the Owner's approval prior to start of Construction and updated at the time of submitting each request for progress payment.

1.01.4 Survey Assistance:

Furnish helpers on an as needed basis to assist the Engineer in checking work.

1.01.5 Project Coordination

The work included in these Contract Documents is to be performed under the responsibility of a single prime contract. The Contractor is responsible for the coordination of all the work, whether performed by its own personnel or its subcontractor, and will maintain such procedures as necessary to keep its workman and suppliers informed of project progress so as not to unnecessarily delay completion of the Work.

1.01.6 Standard Specifications

The Standard Specifications for Roads, Bridges, and Incidental Construction, Supplement Form 819, dated 2024 of the State of Connecticut, as specifically referenced to in the Technical Specifications, shall apply and be considered a part of this specification as though it were bound herein. The Standard Specification is available from:

https://portal.ct.gov/DOT/IT/ConnDOT-Publications-Manuals

Department of Transportation Engineer of Contracts 2800 Berlin Turnpike P.O. Box 317546 Newington, CT 06131-7546



SECTION 1.02 MOBILIZATION

1.0 DESCRIPTION

This section shall consist of all work associated with the mobilization and demobilization of the contractor's forces and equipment necessary for performing the work required under the contract. It does not include mobilization and demobilization for specific items of work for which payment is provided elsewhere in the contract.

This section shall also include costs for required bonds, insurances and other incidental preconstruction items associated with the startup and completion of the work.

Mobilization shall include the following:

- A. Costs for performance and payment bonds.
- B. Costs for insurances.
- C. Provide, maintain, and remove temporary sanitary facilities.
- D. Establishing and removing temporary staging areas, lay down areas, and offices if needed.
- E. Any and all startup costs, removal costs, transportations costs, or costs or fees associated with mobilizing equipment or personnel to the project site and off the project site at the completion of work.

4.0 MEASUREMENT AND PAYMENT



SECTION 2.01 MAINTENANCE AND PROTECTION OF TRAFFIC

1.0 DESCRIPTION

The Contractor shall maintain traffic in the project area to the satisfaction of the Owner. The Contractor must maintain pedestrian and vehicular traffic and permit access to businesses, factories, residences, and intersecting streets. Where detours will be required, the Owner may require the Contractor to submit a proposed detour plan for all portions of the work to the Owner. This submittal shall be made at least seven days prior to commencing construction. It shall be the sole responsibility of the Contractor to keep the Local Agencies (including but not limited to the Police and Fire Departments) prewarned at least 72 hours in advance of changes in traffic patterns due to reduction of pavement widths or closing of streets. The Contractor shall supply, install, maintain, adjust, move, relocate, and store all signs, suitably lighted barricades, traffic cones and traffic delineators, as necessary to carry out the traffic routing plan and maintain vehicular and pedestrian traffic. All of this work shall meet with the requirements of the State of Connecticut, Local Agencies and the Owner.

The Contractor shall furnish, light, and maintain such signs as may be directed, or may be necessary for the safe regulation, or convenience of traffic. Said signs shall be adequate for the regulation, safety and convenience of traffic. The Contractor shall provide, erect, and maintain suitably lighted barricades, warning lights, etc., as needed, or as directed in order to keep people, animals and vehicles from excavations, obstacles, etc. Traffic signs shall be designed and installed in accordance with MUTCD where applicable. The Contractor shall be required to employ trafficmen and take other such reasonable means of precautions as the Owner may direct, or as may be needed to prevent damage or injury to persons, vehicles, or other property, and to minimize the inconvenience and danger to the public by his construction operations. He shall arrange his operations to provide access to properties along the street including temporary bridges to driveways, and provide access to fire hydrants, manholes, gate boxes, or other utilities. Whenever any trench obstructs traffic in or to any public street, private driveway, or property entrance, the Contractor shall take such steps as required to maintain necessary traffic and access including temporary bridging if required. The Contractor shall confine his occupancy of public or traveled ways to the smallest space compatible with the efficient and safe performance of the work contemplated by the contract.

Connecticut D.O.T. certified flagmen will be required for all traffic control work on this project in accordance with the MUTCD requirements.

The Contractor shall observe and obey all local and state laws, ordinances, regulations and permits in relation to the obstruction of streets and highways, keeping passageways open and protecting traffic where there may be danger from blasting or other construction activities.



Suitable lighted barriers or barricades shall be furnished by the Contractor and put up and maintained at all times during the night or daytime, around all open ditches, trenches, excavations, or other work potentially dangerous to traffic. Such barricades shall be securely supported and braced at least 3 feet high above the ground. Barricades shall be placed on all sides and throughout the entire length and width of all open ditches, trenches, excavations, or other work which must be barred to the general public. Barricades shall be properly painted to the satisfaction of the Owner in order to retain a high degree of visibility to vehicular and pedestrian traffic.

Suitably lighted barricades shall be defined as barricades lit by flashers in accordance with this paragraph or other lighting methods approved by the Owner in lieu thereof. Flashers shall be placed along the entire length of the barricades at an interval no greater than 8 feet, center to center. Flashers shall be power operated, lens directed, enclosed light units which shall provide intermittent light from 70 to 120 flashes per minute, with the period of light emittance occurring not less than 25 percent of each on-off cycle, regardless of temperature. The emitted light shall be yellow in color and the area of light on at least one face of the unit shall be not less than 12 square inches. The discernible light shall be bright enough to be conspicuously visible during the hours of darkness at a minimum distance of 800 feet from the unit under normal atmospheric conditions. For units which beam light in one or more directions, the foregoing specifications shall apply 10 degrees or more to the side and 5 degrees or more above and below the photometric axis.

The Contractor shall furnish and securely fasten flashing units to signs, barricades, and other objects in such numbers and for such lengths of time as are required for the maintenance and protection of traffic, or as the Engineer may order. The flasher shall be in operation during all hours between sunset and sunrise, and during periods of low visibility. The Contractor shall maintain, relocate and operate barricades and flashers throughout the life of the contract. No special payment will be made for barricades or flashers.

Should the Contractor or his employees neglect to set out and maintain barricades or lights, as required in these specifications, the Owner immediately, and without notice, may furnish, install and maintain barricades or lights. The cost thereof shall be borne by the Contractor any may be deducted from any amount due or to become due to the Contractor under this contract.

If the Contractor's operations or occupancy of any public street or highway, or the uneven surfaces over any trenches being maintained by the Contractor shall interfere with the removal or sanding of snow or ice by the public authorities or adjoining land owners, in an ordinary manner with regular highway equipment, the Contractor shall be required to perform such services for the public authorities or adjoining owners without charge. If the Contractor fails to do so, he shall reimburse the said authorities or adjoining owners for any additional cost to them for doing such occasioned by conditions arising from the Contractor's operations, occupancy, or trench surfaces, together with any damage to the equipment of said parties by those conditions, or claims of any parties for damage or injury or loss by reason of failure to remove snow or ice or to sand icy spots under these conditions.



4.0 MEASUREMENT AND PAYMENT

"Maintenance and Protection of Traffic" will be paid monthly in proportion to the amount of work done as determined by the Owner. Said payments will be a proportionate amount of the Lump Sum Price bid for the Maintenance and Protection of which shall include all costs for furnishing lighted barricades and traffic protection devices and for labor, equipment and services involved in the erecting, maintaining, moving, adjusting, relocating and storing of signs, flashers, lights, barricades, traffic cones, traffic delineators and other devices furnished by the Contractor, as well as the cost of all labor and equipment involved in the maintenance of traffic lanes and detours ordered or included in the approved scheme for maintenance of traffic. Sufficient signing for all approved detours shall be erected to adequately guide traffic around construction.

The use of flagman by the Contractor to control the movements of his own vehicles (owned, rented or contracted for, or those delivering materials and equipment), for the protection of said vehicles, his workmen or other traffic shall not be measured for payment but shall be included in the Lump Sum Price for the Item "Maintenance and Protection of Traffic".

Connecticut D.O.T. certified traffic control flagman required shall be included as part of this lump sum item which price shall include all compensation, insurance, benefits, vehicles and any other cost or liability incidental to the furnishing of the certified flagman ordered.

Connecticut D.O.T. certified flagmen will be required for all traffic control work on this project in accordance with the MUTCD requirements.

The Contractor will be required under the Contract Lump Sum Price for "Maintenance and Protection of Traffic" to maintain and protect the traffic throughout the entire duration of the contract. No claim for additional payment due to unusual construction conditions encountered or delay caused by the Contractor or other outside agencies shall be considered.



SECTION 2.03 WORK ON OR NEAR PRIVATE PROPERTY

1.0 DESCRIPTION

The work under this Section includes the protection of private property and the restoration of areas near or on private property.

Every effort shall be made to protect private or public property during construction. All damaged areas shall be replaced in kind by the Contractor at no additional cost to the Owner.

2.0 MATERIALS

All materials not specifically described in other Sections, but required for work included in this Section, shall be new, first quality of their respective kinds, and subject to the approval of the Owner.

3.0 CONSTRUCTION METHODS

All areas affected by the construction outside of the work limits shall be repaired to the complete satisfaction of the Owner. This work shall also include the reinstallation of all mailboxes, signs, and posts that may be affected during construction. Should these items become damaged by the construction, the Contractor shall replace the damaged items at no additional cost to the Owner.

4.0 MEASUREMENT AND PAYMENT

SECTION 2.06 CALCIUM CHLORIDE FOR DUST CONTROL

1.0 DESCRIPTION

This item shall consist of furnishing calcium chloride and spreading it on the subgrade or in other areas of a project under construction, for the purpose of reducing dust conditions.

2.0 MATERIALS

Calcium chloride shall conform to the requirements of AASHTO M 144, except that the pellet form and the flake form shall be equally acceptable.

3.0 CONSTRUCTION METHODS

Calcium chloride shall be applied only at the locations, at such times and in the amount as may be directed by the Engineer. It shall be spread in such manner and by such devices that uniform distribution is attained over the entire area on which it is ordered placed.

4.0 MEASUREMENT AND PAYMENT



SECTION 2.08 CLEARING AND TREE REMOVAL

1.0 DESCRIPTION

This work shall consist of clearing the ground of trees, stumps, brush, rubbish and all objectionable material in accordance with these specifications or as directed by the Owner. This work shall also include the clearing of the ground necessary for the construction and installation of drainage structures. Included in this work shall be the preservation from injury or defacement of vegetation and objects designated to remain.

3.0 CONSTRUCTION METHODS

Within the excavation lines all trees shall be cut off and stumps removed and disposed of away from the site to a depth of not less than 12 inches below the finish graded surface.

In areas other than within excavation lines and where clearing is necessary for the construction and installation of various highway appurtenances, all trees and stumps shall be cut flush with the ground; and all dead or uprooted trees, brush, roots, or otherwise objectionable material shall be removed as directed unless otherwise indicated on the plans.

The Contractor shall dispose of all trees, stumps, brush, etc., which have been cut by the Contractor's or Owner's forces, in a satisfactory manner away from the site.

4.0 MEASUREMENT AND PAYMENT



SECTION 2.09 SEDIMENTATION AND EROSION CONTROL

1.0 DESCRIPTION

The work and materials required by this Section consists of the furnishing of all plant, labor, equipment and materials and in performing all operations in connection with providing and maintaining in an acceptable condition, the various erosion and sediment control devices specified below in accordance with these Specifications and as directed by the Owner.

The Contractor shall furnish all equipment, labor, materials and related work necessary for the proper execution of the intent of this Section. The Contractor shall operate and maintain and provide means and devices necessary to minimize, to the greatest extent possible, erosion within the work area of this Contract and to prevent the entrance of any silt laden runoff from the work areas into any standing or moving bodies of water on or adjacent to the Work.

The Contractor shall be responsible for the maintenance of all sedimentation and erosion control measures throughout the duration of construction and until all disturbed areas have been stabilized.

Sedimentation and erosion control measure shall be in accordance with the Contract Drawings and shall conform to the requirements of the State of CT DEEP 2024 Connecticut Guidelines for Soil Erosion and Sediment Control Manual.

2.0 MATERIALS

Materials for sedimentation and erosion control measures shall be in accordance with 2.19 of Form 818, the Contract Drawings, and the following:

Filter fabric fence shall conform to the requirements of the Form 818, Section 7.55.02.

Hay bales shall conform to the requirements of Form 818, Article 2.19.02.

3.0 CONSTRUCTION METHODS

Installation of sedimentation and erosion control measures shall be in accordance with 2.19 of Form 818, the Contract Drawings, and the following:

All sediment and erosion control devices shall be properly installed, in a manner acceptable to the Owner, as necessary to minimize erosion within the work area of this contract and to prevent the entrance of any silt laden runoff from the work areas into any standing or moving bodies of water on or adjacent to the work, or as directed by the Owner.



The filter fabric fence shall be installed as recommended by the manufacturer. The bottom of the fabric shall be buried by either digging a six (6") inch on the ground and placing six inches of soil on the fence fabric. All erosion control devices shall be removed when ordered by the Owner after the regulated disturbed area has been reestablished. The Contractor's attention is called to particular notes on the drawings regarding erosion and sedimentation control and coordination with public agencies.

4.0 MEASUREMENT AND PAYMENT

No separate measurement or payment shall be made for this item and all costs in connection there with shall be included in other contract items.

SECTION 4.05 BITUMINOUS CONCRETE FOR DRIVEWAYS

1.0 DESCRIPTION

The work under this Section shall be the construction of a surface course of bituminous concrete, Class 2 placed on a prepared base in accordance with these specifications and in conformity with the lines, grades, thickness and typical cross-section shown on the Contract Drawings.

The work covered by this Section includes replacement of driveways and driveway aprons, installing new sidewalk pavements and all other bituminous concrete work not included in other Sections.

2.0 MATERIALS

The materials for the bituminous concrete mixture, the sources of supply, formula for mix, mix tolerances, approval of mix formula, and the control of the mixture shall conform to the requirements of Article M.04.02-2 of the Standard Specification for HMA S0.375.

3.0 CONSTRUCTION METHODS

The methods employed in performing the work and all equipment, tools, machinery and other plant used in handling material and executing any part of the work shall conform to all the requirements of the Standard Specification, Article 4.06.03.

4.0 MEASUREMENT AND PAYMENT

This work will be measured for payment by the number of square feet, surface area, of the payment installed to the specified thickness shown on the Drawings and as specified.

Gravel Base: This work will <u>not</u> be measured for payment, the cost shall be considered as included in the price bid.

"Bituminous Concrete for Driveways", measured as provided above, will be paid for at the Contract unit price bid per square foot completed and accepted in place, which price shall include all materials, equipment, tools, labor and work incidental thereto.

The Contractor shall include in the cost of this construction all resetting to grade prior to paving of existing or newly constructed grated, frames, covered, valve boxes, access covers, and other items which normally must have a fixed relationship to finished grade unless specified items for resetting appear in the bid proposal.

SECTION 4.10 MILLING

1.0 DESCRIPTION

This work under this Section includes furnishing all labor, equipment and materials and performing all operations in connection with milling the existing pavement surface at locations specified on the Contract Drawings.

This work shall consist of the milling, removal, and disposal of existing bituminous concrete pavement. It shall also include the complete removal and disposal of the existing bituminous concrete wearing surface to the depth shown on the plans or as ordered by the Engineer. The types of milling shall include the following:

Fine Milling shall be used to remove bituminous concrete from 0 to 4 inches.

3.0 CONSTRUCTION METHODS

Milling shall conform to Section 4.09.03 of the Standard Specification

The Contractor shall remove the bituminous concrete material using the milling type specified on the plans.

The Contractor will mill a minimum of 2" or as shown on the Contract Drawings, or as directed by the Owner.

Prior to paving the milled area will be swept and tack coated with CSS-1H at .035 gals. per square yard.

The longitudinal saw cut joint will be painted with an acceptable tack coat material.

After the final pavement has been placed and compacted, the joints will be sealed with 85/100 asphalt or an approved substitute.

4.0 MEASUREMENT AND PAYMENT

Payment limits for milling are shown on the Contract Drawings.

This work shall be paid for at the Contract lump sum price for "Fine Milling: 0-2" thick.", which price shall include all materials, equipment, tools, labor and work incidental to or necessary for the completion of the work.

<u>SECTION 4.11</u> OVERLAY ON MILLED SURFACE – LOCAL ROADS

1.0 DESCRIPTION

Overlay shall consist of a one course two (2) inch compacted thickness bituminous concrete surface course, constructed over a milled surface for local roads.

2.0 MATERIALS

The materials for the bituminous concrete mixture, sources of supply, formula for mix, mix tolerances, approval of mix formula and the control of the mixture shall conform to the requirements of Article M.04, the Standard Specification.

Bituminous concrete surface course shall be HMA S0.375 in accordance with Section M.04 of the Standard Specification.

Tack coat shall consist of CSS-1H oil.

3.0 CONSTRUCTION METHODS

Overlay shall be placed in accordance with Article 4.06.03 of the Standard Specifications and in accordance with the details shown on the Contract Drawings.

Contact surfaces of curbing, gutters, manholes, etc., shall be painted with a thin uniform coat of hot asphalt cement, or asphalt cement dissolved in naphtha, just before the material is placed against them.

All milled surfaces shall receive a tack coat prior to surface course of pavement. The surface shall be swept clean and tack coated with CSS-1H at .035 gals. per square yard.

3.1 QUALITY ASSURANCE

The Owner or his authorized representative shall have access at any time to all parts of the producing plant for:

- 1) Inspection of the condition and operations of the plant and laboratory.
- 2) Confirmation of the adequacy of equipment in use.
- 3) Verification of the character and portions of the mixture.
- 4) Determination of temperatures being maintained in the preparation of the mixtures.
- 5) Inspection of incidental related procedures.

4.0 MEASUREMENT AND PAYMENT

This work shall be measured for payment as a lump sum, installed to the specified thickness as specified on the Drawings. The payment limits will be as specified on the drawings.

Work under this Item will be paid for at the Contract lump sum price for "Bituminous Overlay on Milled Surface", completed in place and accepted. The Contract price shall include the cost of the bituminous material, maintenance of the construction to include the additional materials and labor required due to settlement, and all other materials, tools, equipment, labor and work necessary for or incidental to the completion of the item.

The Contractor shall include in the cost of this item

- A. Sweeping the milled surface and providing a tack coat.
- B. Resetting to grade existing or newly constructed catch basins, manholes, grates, frames, covers, valve boxes, access covers, and other items which normally must have a fixed relationship to finished grade.
- C. Saw cutting and matching of all bituminous concrete pavements and providing tack coat along all cut edges.
- D. Providing new painted pavement markings (match existing).

SECTION 4.15 NEW PAVEMENT BASE SECTION

1.0 DESCRIPTION

Overlay shall consist of saw cutting existing pavement as needed, removal of pavement, removal of gravel and road base material and furnishing and installing new gravel road base and a binder course of pavement prior to overlay for local roads.

This item shall be used to construct the bituminous shoulder as called for on the Contract Drawings, and to repair areas of failing road base as directed by the Town in the field.

2.0 MATERIALS

The materials for the bituminous concrete mixture, sources of supply, formula for mix, mix tolerances, approval of mix formula and the control of the mixture shall conform to the requirements of Article M.04, the Standard Specification.

Bituminous concrete binder course shall be HMA S0.5 in accordance with Section M.04 of the Standard Specification.

Tack coat shall consist of CSS-1H oil.

Processed gravel base shall conform to Section M.05.01 of the Standard Specification

3.0 CONSTRUCTION METHODS

Processed gravel base and bituminous concrete binder course shall be placed in accordance with Article 4.06.03 of the Standard Specifications and in accordance with the details shown on the Contract Drawings.

Contact surfaces of curbing, gutters, manholes, etc., shall be painted with a thin uniform coat of hot asphalt cement, or asphalt cement, or asphalt cement dissolved in naphtha, just before the material is placed against them.

3.1 QUALITY ASSURANCE

The Owner or his authorized representative shall have access at any time to all parts of the producing plant for:

- 1) Inspection of the condition and operations of the plant and laboratory.
- 2) Confirmation of the adequacy of equipment in use.
- 3) Verification of the character and portions of the mixture.
- 4) Determination of temperatures being maintained in the preparation of the mixtures.



5) Inspection of incidental related procedures.

4.0 MEASUREMENT AND PAYMENT

This work will be measured for payment by the number of square feet, surface area, of the new pavement base installed to the specified thickness shown on the Drawings and as specified.

Processed Gravel Base: This work will <u>not</u> be measured for payment, the cost shall be considered as included in the price bid.

"New Pavement Base Section", measured as provided above, will be paid for at the Contract unit price bid per square foot completed and accepted in place, which price shall include all materials, equipment, tools, labor and work incidental thereto.

The Contractor shall include in the cost of this construction all resetting to grade prior to paving of existing or newly constructed grated, frames, covered, valve boxes, access covers, and other items which normally must have a fixed relationship to finished grade unless specified items for resetting appear in the bid proposal.

SECTION 8.01 TOPSOIL, SEED, FERTILIZE AND MULCH

1.0 DESCRIPTION

This work shall consist of placing topsoil, furnishing topsoil when required, fertilizing, seeding and mulching all areas disturbed by the work and the Contractor's operations.

The intent of this item is for surface restoration of areas disturbed by the Contractors forces including tracked areas, stockpile areas, and staging areas beyond the vegetated swale.

The vegetated swale shall be measured and paid for separately under that item.

2.0 MATERIALS

Materials for this work shall conform to the following requirements:

2.01 TOPSOIL

Topsoil excavated from the project shall be used whenever possible. Topsoil supplied by the Contractor shall conform to the requirement of Article M.13.01-1.

2.02 FERTILIZER

Fertilizer shall conform to the requirement of Article M.13.03.

2.03 MULCH

Mulch shall conform to Article M.13.05-1 and shall be hay or wood fiber.

2.04 SEED MIXTURE

Seed mixture for seeding shall conform to the specifications outlined on the Contract Drawings.

3.0 CONSTRUCTION METHODS

All topsoil excavated from the project shall be used. When, in the opinion of the Engineer, sufficient topsoil is not available, the Contractor shall supply topsoil from other sources. The areas on which topsoil is to be placed shall be graded to a reasonable true surface. Topsoil shall then be spread and shaped to the lines and grades shown on the plans, or as directed by the Owner. The depth shown on the plans to which the topsoil is to be placed is that required after settlement of the material has taken place. All stones, roots, debris, sod, weeds and other undesirable material shall be removed. After shaping and grading, all trucks and other equipment shall be excluded from the topsoil area to prevent excessive compaction. The Contractor shall perform such work as required to provide a friable surface for seed germination and plant growth prior to seeding. During hauling and spreading operations, the Contractor shall immediately remove any material dumped or spilled on pavement.



It shall be the Contractor's responsibility to restore to the line, grade and surface all eroded areas with approved material and to keep topsoiled areas in acceptable condition until the completion of the construction work.

The areas to be seeded shall be made friable and receptive to seeding by approved methods which will not disrupt the line and grade of the slope surface. In no event will seeding be permitted on hard or crusted soil surface. All areas shall be free from weeds taller than three (3) inches.

The normal seeding seasons shall be March 15th to June 15th and August 15th to October 15th. Seeding at other times shall be done only when ordered by the Engineer.

Areas of disturbed soil which will contribute significantly to air and stream pollution shall be established to the designated vegetative cover as soon as feasible or when directed by the Engineer.

Seed shall be uniformly applied by any ergonomically acceptable and feasible method approved by the Engineer. Seed mixture shall be applied at the rate of 200 pounds per acre. Fertilizer shall be uniformly placed at the rate of 640 pounds per acre.

All seeded areas shall be mulched with hay or, if hydroseeding is used, wood fiber. Hay shall be uniformly applied by an approved method to a placed depth of two (2) inches. Hay shall be held in place by one uniform Application of asphalt emulsion, Type SS-1, applied at the rate of 0.08 gallons per square yard. The emulsion shall have a temperature range within 50 to 120 degrees F. at the time of the application. The emulsion may be applied during or immediately after the application of the mulch. Wood fiber mulch shall be uniformly applied at the rate of one (1) tone per acre.

The Contractor shall keep all equipment and vehicular and pedestrian traffic off areas that have been seeded to prevent excessive compaction and damage to young plants.

The Contractor shall be required to replant areas damaged by water, wind, fire, equipment or pedestrian traffic when ordered by the Owner at no cost to the Owner.


Work under this item shall not be complete until all stones and debris have been removed from the seeded areas. In areas where topsoil and seeding are not required, all disturbed areas shall be neatly graded and cleared of all debris.


4.0 MEASUREMENT AND PAYMENT

No separate measurement or payment shall be made for this item and all costs in connection there with shall be included in other contract items.



VIII. PLANS





M:\7000\7000\7064Z Gutterman Rd. Layout\Drawings\7064Z - Plans.dwg

CIVIL · STRUCTURAL · SURVEYING

claengineers.com

317 Main Street Norwich, Connecticut

860-886-1966

Town of Montville Gutterman Road Repaving

SCALE: 1"=150" CLA-7064Z PROJ:

GENERAL NOTES

- CONTRACTOR SHALL CONTACT "CALL BEFORE YOU DIG" AT 811 AT LEAST 2 FULL WORKING DAYS PRIOR TO THE START OF CONSTRUCTION.
- THE CONTRACTOR SHALL COORDINATE ALL WORK WITH THE DIRECTOR OF PUBLIC WORKS.
- 3. ALL PROPOSED WORK MAY BE VARIED IN THE FIELD BY THE OWNER TO MATCH EXISTING CONDITIONS.
- INFORMATION SHOWN ON THE DRAWINGS RELATING TO MATERIALS, CONDITIONS, AND/OR LOCATIONS OF EXISTING STRUCTURES AND UTILITIES HAS BEEN COMPILED FROM AVAILABLE INFORMATION INCLUDING FIELD SURVEY, UTILITY COMPANY AND TOWN RECORD MAPS AND DRAWINGS, AND IS NOT GUARANTEED ACCURATE OR COMPLETE. 4.
- MAINTENANCE AND PROTECTION OF TRAFFIC: 5.
 - THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR ALL MAINTENANCE AND PROTECTION OF TRAFFIC, TRAFFIC CONTROL, TEMPORARY SIGNING OR BARRICADES, AND TEMPORARY LANE CLOSURES AS NEEDED. CONTINUOUS ACCESS FOR BUSES AND EMERGENCY VEHICLES SHALL BE MAINTAINED AT ALL TIMES.
 - PASSAGE OF TRAFFIC ON ROADWAYS: A MINIMUM OF ONE LANE FOR TRAFFIC SHALL BE MAINTAINED AT ALL TIMES. THE CONTRACTOR SHALL PERFORM HIS OPERATIONS TO MINIMIZE DISRUPTIONS TO TRAFFIC WITHIN AND AROUND THE PROJECT SITE.
 - TEMPORARY MODIFICATIONS TO TRAFFIC PATTERNS ON PUBLIC ROADWAYS SHALL CONFORM TO THE REQUIREMENTS OF THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD)".
 - CONSTRUCTION SIGNS MUST CONFORM TO THE SIGNING REQUIREMENTS OUTLINED IN THE "MANUAL ON UNIFORM
 - TRAFFIC CONTROL DEVICES (MUTCD)". ALL SIGN FACES SHALL BE REFLECTORIZED.
 RESIDENTS WITH DRIVES AFFECTED BY CONSTRUCTION SHALL BE NOTIFIED BY THE CONTRACTOR AT LEAST 48 HOURS BEFORE CONSTRUCTION BEGINS AND SHALL BE ALLOWED CONTINUOUS ACCESS TO THEIR PROPERTY.
- THE CONTRACTOR SHALL CONFINE HIS OPERATIONS AND ACTIVITIES FOR CONSTRUCTION PURPOSES WITHIN THE STREET LINES, EASEMENTS AND PROPERTY AS SHOWN ON THE DRAWINGS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY DAMAGE TO EXISTING PAVEMENT, ROADWAY, SIDEWALKS, ETC., OUTSIDE OF THE WORK AREA AND SHALL REPAIR SUCH DAMAGE AT NO ADDITIONAL COST TO THE OWNER.
- 7. UPON COMPLETION OF THE WORK, ALL DISTURBED AREAS SHALL BE RESTORED TO A CONDITION EQUAL TO OR BETTER THAN EXISTED PRIOR TO CONSTRUCTION.
- ALL STREET SIGNS, MAILBOXES, PLANTINGS, ORNAMENTAL OBJECTS, LIGHTS, LANDSCAPE SHRUBBERY, ETC., SHALL BE PROTECTED FROM DAMAGE AND SHALL BE REPLACED IN THE SAME OR BETTER CONDITION BY THE CONTRACTOR IF DISTURBED OR DAMAGED BY THE CONTRACTOR DURING CONSTRUCTION.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE TEMPORARY AND PERMANENT SUPPORT AND PROTECTION OF ALL EXISTING UTILITY POLES IN AN ADJACENT TO THE CONSTRUCTION AREA AND SHALL COMPLY WITH ALL THE REQUIREMENTS AND SPECIAL DETAILS FOR THE SUPPORT OF UTILITIES REQUIRED BY UTILITY AGENCIES. ALL COSTS FOR TEMPORARILY SUPPORTING UTILITY POLES DURING CONSTRUCTION SHALL BE INCLUDED IN OTHER ITEMS.
- 10. MATERIAL STOCKPILE AND STAGING AREAS: THE CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING ALL MATERIAL STOCKPILE AREAS AND EQUIPMENT STAGING AREAS. PRIOR TO THE START OF CONSTRUCTION THE CONTRACTOR SHALL IDENTIFY THESE AREAS AND PROVIDE EROSION AND SEDIMENTATION CONTROL MEASURES AS REQUIRED.
- 11. BLASTING SHALL PROHIBITED.
- 12. THE CONTRACTOR SHALL BE RESPONSIBLE FOR RESETTING TO GRADE ALL FRAMES, GRATES, COVERS, VALVE BOXES, ACCESS COVERS, AND ALL OTHER ITEMS WHICH NORMALLY MUST HAVE A FIXED RELATION TO FINISHED GRADE.
- 13. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL CONSTRUCTION SURVEY AND STAKEOUT AS THEY NEED.
- ALL WORK TO CONFORM TO THE STATE OF CONNECTICUT DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS FOR ROADS, BRIDGES AND INCIDENTAL CONSTRUCTION FORM 819, DATED JANUARY 2024, AS REVISED.





317 Main Street Norwich, Connecticut 860-886-1966 claengineers.com

Construction Details & Notes

Town of Montville Gutterman Road Repaving

DATE: May 27, 2025 SCALE: N.T.S. PROJ: CLA-7064Z Ν

PAGE

EROSION & SEDIMENTATION CONTROL NARRATIVE

- 1. THE EROSION & SEDIMENTATION CONTROL PLAN AND DETAILS HAVE BEEN DEVELOPED AS A STRATEGY TO CONTROL SOIL EROSION AND SEDIMENTATION DURING AND AFTER CONSTRUCTION. THIS PLAN IS BASED ON THE "CONNECTICUT GUIDELINES FOR SOIL EROSION AND SEDIMENT CONTROL" EFFECTIVE MARCH 30, 2024 BY THE COUNCIL ON SOIL AND WATER CONSERVATION IN COLLABORATION WITH CONNECTICUT DEPARTMENT OF ENERGY AND ENVIRONMENTAL PROTECTION.
- 2. CONTINUOUS DUST CONTROL USING WATER OR APPROVED EQUAL SHALL BE PROVIDED FOR ALL EARTH STOCKPILES, EARTH PILED ALONG EXCAVATIONS, SURFACES OF BACKFILLED TRENCHES AND GRAVELED ROADWAY SURFACES.
- 3. IF FINAL SEEDING OF DISTURBED AREAS IS NOT TO BE COMPLETED BEFORE OCTOBER 15, THE CONTRACTOR SHALL PROVIDE TEMPORARY MULCHING (DORMANT SEEDING MAY BE ATTEMPTED AS WELL) TO PROTECT THE SITE AND DELAY PERMANENT SEEDING.
- 4. WHEN FEASIBLE, TEMPORARY SEEDING OF DISTURBED AREAS THAT HAVE NOT BEEN FINISHED GRADED SHALL BE COMPLETED PRIOR TO OCTOBER 15.
- 5. ANY EROSION WHICH OCCURS WITHIN THE DISTURBED AREAS SHALL BE IMMEDIATELY REPAIRED AND STABILIZED. DURING THE CONSTRUCTION PHASE, INTERCEPTED SEDIMENT SHALL BE RETURNED TO THE SITE. POST SEEDING, INTERCEPTED SEDIMENT, IF ANY, SHALL BE DISPOSED OF IN A MANNER APPROVED BY THE TOWN AND ENGINEER.
- 6. EROSION AND SEDIMENTATION CONTROL MEASURES SHALL REMAIN IN PLACE UNTIL VEGETATION IS RE-ESTABLISHED OR SLOPES ARE STABILIZED AND REMOVAL IS APPROVED BY THE TOWN.
- 7. UNFORESEEN PROBLEMS WHICH ARE ENCOUNTERED IN THE FIELD SHALL BE SOLVED ACCORDING TO THE "CONNECTICUT GUIDELINES FOR SOIL EROSION AND SEDIMENT CONTROL" EFFECTIVE MARCH 30, 2024 BY THE COUNCIL ON SOIL AND WATER CONSERVATION IN COLLABORATION WITH CONNECTICUT DEPARTMENT OF ENERGY AND ENVIRONMENTAL PROTECTION.

860-886-1966

Town of Montville

Gutterman Road Repaving

PERMANENT VEGETATIVE COVER

TOPSOIL WILL BE REPLACED ONCE THE EXCAVATIONS HAVE BEEN COMPLETED AND THE SLOPES ARE GRADED AS SHOWN ON THE PLANS. PROVIDE SLOPE PROTECTION AS CALLED FOR ON THE PLANS AND DETAILS. TOPSOIL SHALL BE SPREAD AT A MINIMUM COMPACTED DEPTH OF <u>6 INCHES</u>. ONCE THE TOPSOIL HAS BEEN SPREAD, ALL STONES TWO INCHES OR LARGER IN ANY DIMENSION WILL BE REMOVED AS WELL AS DEBRIS.

- APPLY AGRICULTURAL GROUND LIMESTONE AT THE RATE OF TWO TONS PER ACRE OR 100 LBS. PER 1000 S.F.
- APPLY 10-10-10 FERTILIZER OR EQUIVALENT AT A RATE OF 300 LBS.
 PER ACRE OR 7.5 LBS. PER 1000 S.F.
- WORK LIMESTONE AND FERTILIZER INTO THE SOIL TO A DEPTH OF 4 INCHES.
- INSPECT SEEDBED BEFORE SEEDING.
- IF TRAFFIC HAS COMPACTED THE SOIL, RETILL COMPACTED AREAS.
- APPLY THE FOLLOWING GRASS SEED MIX:


THE RECOMMENDED SEEDING DATES ARE:

APRIL 1 - JUNE 15 AND AUGUST 15 - OCTOBER 15

IMMEDIATELY FOLLOWING SEEDING, FIRM SEED BED WITH A ROLLER AND MULCH WITH WEED FREE STRAW. IF PERMANENT VEGETATIVE COVER IS HAS NOT BEEN ESTABLISHED BY OCTOBER 15, APPLY A TEMPORARY VEGETATIVE COVER ON THE TOPSOIL.

TYPICAL SEED MIXTURE

ALL DISTURBED AREAS	LBS./ACRE	LBS./1000 S.F.
KENTUCKY BLUEGRASS	20	0.45
CREEPING RED FESCUE	20	0.45
PERENNIAL RYEGRASS	5	0.10
	45	1.00





TYPICAL LOAM & SEED SECTION DETAIL (FOR ALL DISTURBED AREAS)

TOPSOIL & SEED SECTION DETAIL

NOT TO SCALE

CLA Engineers, Inc.		Construction Details & Notes		
			DATE: May 27, 2025 SCALE: N.T.S.	PAGE
CIVE DIRECT	JOHN DON'T DING	Town of Montville	PROJ: CLA-7064Z	
317 Main Street 860-886-1966	Norwich, Connecticut claengineers.com	Gutterman Road Repaving		5






NOTES:

- CONTRACTOR TO PROVIDE COMPACTION ON ALL TRENCH BACKFILLS, EXCAVATIONS AND PAVEMENT BASES TO NOT LESS THAN 95% OF THE DRY DENSITY FOR THAT MATERIAL.

 CONTRACTOR SHALL BE RESPONSIBLE FOR THE REMOVAL AND DISPOSAL OF ALL EXCESS MATERIALS.
- CONTRACTOR SHALL BE RESPONSIBLE FOR RESETTING TO GRADE THOSE OBJECTS WITHIN THE ROADWAY (GRATES, COVERS, ETC.) WHICH NORMALLY HAVE A FIXED RELATION TO GRADE.
- AFTER FINAL PAVING, ALL JOINTS SHALL BE SEALED WITH 85/100 ASPHALT OR APPROVED EQUAL.
- CONTRACTOR SHALL BE RESPONSIBLE FOR REPLACING EXISTING STOP BARS AT INTERSECTIONS WITH 12" WIDE WHITE EPOXY RESIN STOP BARS. EPOXY RESIN PAVEMENT MARKINGS SHALL CONFORM TO ARTICLE 12.10 OF DOT FORM 819.

LOCAL ROAD MILL & OVERLAY DETAIL

NOT TO SCALE





NOTES:

- PROCESSED GRAVEL BASE AND 2" BINDER COURSE TO BE MEASURED AND PAID FOR AS PART OF THIS ITEM.
- 2" TOP COURSE TO BE MEASURED AND PAID FOR UNDER THE OVERLAY ON MILLED SURFACE PAY ITEM.
- PROVIDE CONTINUOUS TACK COAT ALONG EDGE WHEN MATCHING EXISTING PAVEMENT
- CONTRACTOR TO PROVIDE COMPACTION ON ALL TRENCH BACKFILLS, EXCAVATIONS AND PAVEMENT BASES TO NOT LESS THAN 95% OF THE DRY DENSITY FOR THAT MATERIAL WHEN TESTED IN ACCORDANCE WITH AASHTO T180, METHOD D

NEW PAVEMENT BASE SECTION DETAIL


NOT TO SCALE





BITUMINOUS CONCRETE DRIVEWAY APRON

NOT TO SCALE



NOTES:

- PROVIDE CONTINUOUS TACK COAT ALONG EDGE WHEN
- MATCHING EXISTING PAVEMENT
 CONTRACTOR TO PROVIDE COMPACTION ON ALL TRENCH BACKFILLS, EXCAVATIONS AND PAVEMENT BASES TO NOT LESS THAN 95% OF THE DRY DENSITY FOR THAT MATERIAL WHEN TESTED IN ACCORDANCE WITH AASHTO T180, METHOD D

TYPICAL DRIVEWAY SECTION DETAIL

NOT TO SCALE

▲ CLA Engineers, Inc.	Construction Details & Notes		
CIA Engineers, Inc.		DATE: May 27, 2025 SCALE: N.T.S.	PAGE
317 Main Street Norwich, Connecticut claengineers.com	Town of Montville Gutterman Road Repaving	PROJ: CLA-7064Z	7